



4tons QTP5010 50meters Flat Top Types of Tower Crane Quotes

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ50(PT5010)
- Minimum Order Quantity: 1
- Price: \$36400-38600 per set
- Packaging Details: Naked packing, 3*40'HQ+1*20'GP containers.
- Delivery Time: 20 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 4 T
- Jib Length: 50 M
- Tip. Load: 1.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.2 M
- Highlight: 4tons flat top tower crane,
50meters flat top crane,
QTP5010 tower crane quotes



Product Description

4tons QTP5010 50meters Flat Top Types of Tower Crane Quotes

Performance parameters

- Max. jib length: 50m;
- Max. lifting capacity 4t;
- Max. hoisting capacity at jib tip:1t;
- Rated lifting moment: 500 Kn.m;
- Max. freestanding height: 30m; Max. working height of anchored crane: 120m;

Specification

Rated Lifting Moment	500KN.M
Max. Lifting Load	4t
Tip Load	1.0t
Max. Lifting Height	120m
Freestanding height	29m
Rope length	320m
Span	50m
Working range	3 to 50m
Slewing speed	0.7 or 0.35 r/min
Trolley speed	25.2/38.6 m/min
Jacking-up speed	0.4 m/min
Counter jib length	12.5m
Power supply	380V/50Hz or according to client's requirements
Power Capacity	24.9Kw
Electric switch box	Schneider
Hoisting speed	(a=2)80/40/8.5; (a=4)40/20/4.25
Mast section	1.6*1.6*2.2m

Technical features:

- Speeds of trolleying and slewing mechanisms are high, good speed adjusting performance, excellent stability.
- Anti-broken wire rope device and anti-broken shaft device
- Light structure, good stability, convenient transportation; Mast sections are SAW welding, safe and reliable. Advanced mechanisms, equipped with various safety devices, mechanical or Mechatronics products work in wretched conditions to keep tower cranes work well.
- Advanced electronic appliances, such as Schneider.
- Equipped with excellent safety devices produced by world-class technology, including weight limiter, moment limiter, height limiter, radius limiter, slewing limiter, slewing and trolleying brakes.

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

We value our customers; We value our customers' customers

HYCM Focus on superior products (tower crane) and perfect service

Spare parts:



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China