



Cranetower QTP5210 52M Work Arm 5 tons Load Specifications Tower Cranes

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ63(PT5210) Tower Crane
- Minimum Order Quantity: 1
- Price: \$56600-59900 per set
- Packaging Details: Naked packing, 5*40'HQ containers.
- Delivery Time: 15 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month



Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 5 T
- Jib Length: 52 M
- Tip. Load: 1.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.5m (Block Type)
- Main Chord: 135*10mm (square Tube)
- After Sale Service: Engineers Available To Service Overseas
- Electric Box: Schneider



More Images



Product Description

Cranetower QTP5210 52M Work Arm 5 tons Load Specifications Tower Cranes

Technical Parameters

- 1) Nominal Lifting Moment: 630 KN.m
- 2) Working Range: 3-52 m
- 3) Max. Lifting Capacity: 5 t
- 4) Independent Standing Height: 35-40 m
- 5) Attached Standard Height: 150 m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/min
- 7) Slewing Speed: 0.6 r/min

Specification

Type	Flat top no head
Max. Lifting Load	5t
Tip Load	1.0t
Max. Lifting Height	150m
Freestanding height	35-40m
Rope length	400m
Span	55m
Working range	3 to 52m
Slewing speed	0.6r/min
Trolley speed	40/20m/min
Jacking-up speed	0.4 m/min
Counter jib length	12.4m
Power supply	380V/50Hz or according to client's requirements
Power Capacity	34.8Kw
Electric switch box	Schneider
Hoisting speed	(a=2)80/40/8.5; (a=4)40/20/4.25
Mast section	1.68*1.68*2.5m (135*10mm square steel)

Our advantage

1. 15 years of experience in supplying new external climbing tower crane with HYCM Brand.
2. Export to more than 20 countries with CE/ISO/GOST/CU-TR Certificates.
3. Stationary/Traveling and internal climbing type tower crane are available
4. Impeller blasting/rust protection paint
5. Advanced painting process
6. Strict and experience welding line
7. New designed mast, can be used to Internal and external climbing tower crane
8. Well known brand mechanism system, Schneider Electronic control system, Jjiangte and Jiuhe motor
9. Engineers available to service machinery overseas.
10. For warranty, it is 12 months from the B/L date. What's more, some free easy worn spare parts are provided together with the crane.

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

Applications

It's used in construction building site, such as Multi commercial housing, High rise building, Skyscraper, and Workshop Material handling etc.

Photos



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China