



PT5510 Construction Cranes Tower Topflat Towercrane Specifications 6t

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ63(PT5510) Tower Crane
- Minimum Order Quantity: 1
- Price: \$60600-65900 per set
- Packaging Details: Naked packing, 5*40'HQ+1*20'GP containers.
- Delivery Time: 15 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month



Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 6t
- Jib Length: 55m
- Tip. Load: 1.0t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.5m (Block Type)
- Main Chord: 135*10mm (square Tube)



More Images



Product Description

PT5510 Construction Cranes Tower Topflat Towercrane Specifications 6t

Technical Parameters

- 1) Nominal Lifting Moment: 630 KN.m
- 2) Working Range: 3-55 m
- 3) Max. Lifting Capacity: 6 t
- 4) Independent Standing Height: 40 m
- 5) Attached Standard Height: 150 m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/min
- 7) Slewing Speed: 0.6 r/min

Specification

Rated lifting moment (kN.m)		630			
Lifting height (m)		Rope fall	Free-standing stationary crane		Anchored crane
		α 2	40		150
		α 4	40		150
Working radius (m)		Max. working radius		55	
		Min. working radius		3	
Max. lifting capacity (t)		5			
Hoisting mechanism	Rope fall	α 2		α 4	
	Speed (m/min)	80/40/8.5		40/20/4.25	
	Lifting weight (t)	1	2.5	2.5	5
	Power (kW)	24/24/5.5			
Trolleying mechanism		Speed (m/min)		0.6	
		Power (kW)		3.7	
Slewing mechanism		Speed (r/min)		0.4	
		Power (kW)		4	

Advantage

1. 15 years of experience in supplying new Topless tower crane with HYCM Brand which export to more than 20 countries with CE / ISO Certificates.
2. Stationary / Traveling and internal climbing type topless tower crane are available.
3. Quality Control: Impeller blasting/rust protection paint, advanced painting process and Strict and experience welding line
4. New designed mast, can be used to Internal and external climbing tower crane
5. Well known brand mechanism system, Schneider Electronic control system, Jjiangte and Jiuhe motor
6. Engineers available to service machinery overseas.
7. For warranty: 12 months from the B/L date.

Applications

It's used in construction building site, such as Multi commercial housing, High rise building, Skyscraper, and Workshop Material handling etc.

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China