



D5020 Luffing Jib Crane Tower 50M Arm 10 tons Load Full VFD Mechanisms

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTD125(5020) Luffing Tower Crane
- Minimum Order Quantity: 1 set
- Price: \$137600-143600 per set
- Packaging Details: Naked packing, 9*40'HQ containers.
- Delivery Time: 40 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 5 sets per month




Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 10 T
- Jib Length: 50 M
- Tip. Load: 2.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 2*2*3 M (split Type)
- Main Chord: 200*20 Mm (angle Steel)



More Images



Product Description

D5020 Luffing Jib Crane Tower 50M Arm 10 tons Load Full VFD Mechanisms

Short Introduction of Luffing Tower Crane

To meet the requirements of your sites which are crowded, where there are numerous cranes, or which are especially lacking in space, luffing tower cranes meet the challenge.

1. QTD125(5020) Luffing Tower Crane
2. Type: fixed and external climbing
3. jib length: 50m
4. tip load: 2.0t
5. max. load: 10t
6. freestanding height: 37.5m

Specification of Luffing Jib Tower Crane

Rated Lifting Moment (KN.M)	1250
Model	QTD125(5020) Luffing Jib Tower Crane
Rated Loading Capacity (t)	10
Max. Lifting Load (t)	10
Tip Load (t)	2.0
Max. Lifting Height (m)	162
Free standing height (m)	50
Rope length (m)	400
Span (m)	50
Working range (m)	5 to 50
Slewing speed (r/min)	0-0.6
Trolley speed (m/min)	0-10
Jacking-up speed (m/min)	0.4
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	91
Electric switch box	Schneider
Hoisting speed (m/min)	(a=2) 0-100; (a=4) 0-50
Main Material (mm)	200*20 /angle steel
Mast section (m)	2*2*2.8

Advantages of Luffing Jib Tower Crane

Use on height-restricted sites
Fully pre-installed compact head
Low assembly weights
Easy Connect and Work assembly
Intelligent high-performance drives

Commercial Terms of Luffing Jib Tower Crane

Price: Negotiable
Delivery time: 15-30 days after receiving 30% advanced payment
Trade terms: FOB (qingdao)
Terms of Payment: T/T or L/C (30% advanced payment, 70% before shipment)
Packing: Standard Exporting Packing
Warranty: At least 12 months

Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

Photos of Luffing Jib Tower Crane






动臂式塔机

动臂式塔机主要用于建筑工地面积较小的
高层或超高层建筑

Luffing jib tower crane is mainly used
for high rise or super high rise buildings
with smaller construction site area.

emma1109@foxmail.com
0086 18254159408



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China