

10t 60mts Boom Topkit Tower Crane For 50mts Height Building Buyers

Basic Information

• Place of Origin: China

Brand Name: HYCM TOWER CRANE
 Certification: CE, ISO, GOST, CU-TR
 Model Number: TC6020 Topkit Tower Crane

Minimum Order Quantity:

• Price: \$105600-120500 per set

Packaging Details: Naked packing, 6*40'HQ or 7*40;HQ

containers.

• Delivery Time: 25 days after receiving the deposit or origin

LC

• Payment Terms: TT, LC

• Supply Ability: 10 sets per month



Product Specification

• Condition: 100% New

Application: Buildings And Projects Constructon

• Type: Top-slewing

Lload: 10tBoom: 60mtsHeight: 50mts

• Power supply: 380V/50Hz Or According To Client's

Requirements

Mast section: 1.835*1.835*2.5m Or 2*2*3m

• Electric Box: Schneider

• Power: 380V 50Hz Or Others



More Images





Product Description

10t 60mts Boom Topkit Tower Crane For 50mts Height Building Buyers

Features

QTZ125(6020) fixed tower crane in Madagascar

Fixed / stationary tower crane

Max. load: 10ton Tip load: 2.0ton Jib length: 60m

CE, ISO, GOST, CU-TR certificates

Specification

Model		QTZ125(6020)
Working Radius (m)		60
Max. Load Capactiy (T)		10
Tip Load (T)		2.0
Free Height Under Hook (m)		50
Max. Height with anchorages (m)		180
Mast Section dimension (m)		1.835×1.835×2.5 or 2*2*3
Hoisting Mechanism	Speed (m/min)	0-100 0-50
	Motor power (kw)	45kw
Slewing Mechanism	Speed (r/min)	0-0.6
	Motor power (kw)	5.5×2
Trolleying Mechanism	Speed (m/min)	0-60
	Motor power (kw)	5.5
Jacking-up	Speed (m/min)	0.4
System	Motor power (kw)	5.5
Total Power (kw)		61.5 (not includes jacking-up system)
Power Supply		380V/50Hz
Base type		Well shaped base/cross base/ base with ballast
No. of containers		7 x 40'HQs
Optional parts (if you need them, please let me know in advance)		1) Anemometer 2) Air condition in cabin 3) Block box 4) Remote control

Main Features

- 1. This tower crane with tower head which connects with jib and counter-jib by tie bars, gives tower crane stronger structure and stable working condition. Besides, It's the most popular type at home and abroad with cheap cost.
- 2. Four Mechanisms (Hoisting mechanism, Slewing mechanism, trolleying mechanism and hydraulic climbing mechanism) work together to control the tower crane operation.
- 3. Equipped with full safety device to avoid over-weight loading, over-speed and over-torque, so that it is with good speed-control capacity, satisfactory operating stability and high work efficiency.
- 4. They can be widely used for construction of high-rise buildings, bridge and tower-like buildings.

Safety Devices

- 1. 3 obstacle lights
- 2. Height limiter
- 3. Slewing limiter
- 4. Range/trolley limiter
- 5. Weight limiter
- 6. Moment limiter
- 7. Anemometer and block box(optional)

Why choose us

- 1. A professional tower crane supplier in China with 15 years experience
- 2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
- 3. Hydraulic self-climbing mechanism
- 4. Variable-frequency slewing mechanism
- 5. Varialbe-speed frequency PLC control System
- 6. Operation data display screen and Safety monitoring system (Black Box)
- 7. Various safety devices

Pictures





Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China