

QTZ100 Tower Crane Spare Parts Mast Section 2.5m Height with Retaining Ring

Basic Information

• Place of Origin: China

• Brand Name: HYCM or others

Certification: ISO

Model Number: QTZ Tower Crane Mast Section

• Minimum Order Quantity: 1 set

• Price: \$1170-1350 per set

Packaging Details: Naked packing, 20'GP and 40'HQ

containers.

• Delivery Time: 10 days after receiving the deposit or origin

LC

Payment Terms: Western Union, L/C, T/TSupply Ability: 100 sets per month



Product Specification

• Condition: 100% New

Application: Buildings And Projects

• Type: Steel Structure

Color: Yellow, Red Or According To Clients Need



More Images





Product Description

QTZ100 Tower Crane Spare Parts Mast Section 2.5m Height with Retaining Ring

Description

- 1. Various kinds of mast sections for tower cranes
- 2. Competitive price from manufacture
- 3. OEM is accepted.

Specification

Mast Section Size: 1835* 1835* 2500 mm Main Chord: 135* 12 mm (square tube steel)

Equipped with high strength bolts which mainly used for HYCM QTZ100 Tower Cranes

How about your machinery warranty?

We have 12 months warranty for main parts, supply spare parts for tower crane.

What's the payment term?

T/T 30% as deposit balance before shipment by T/T

Why choose us?

- a. The quality of ours has reached the European standard.
- b. We have more than 10 years rich experience of tower crane manufacturing.
- c. The production capacity of ours is above 200 units per month.
- d. We have rich experience of packing, declaration and certification.
- e. We offer customized service and we can be your long-term supplier.

Other Mast Sections for different models Tower Cranes

1	1.5×1.5×2.2	Angle steel ∠ 140× 10, ∠ 140× 12, ∠ 160×12
2	1.6×1.6×2.2	Angle steel ∠ 160×12
3	1.68×1.68×2.5	Two angle steel ∠ 125×12 or square tube 135×10
4	1.64×1.64×2.8	Two angle steel ∠ 125×10 or square tube 135×10
5	1.833×1.833×2.5	Two angle steel ∠ 125×10
6	1.833×1.833×2.5	Square tube □135×12 or Two angle steel with rib ∠ 125×12
7	1.835×1.835×2.5	Two angle steel with rib∠125×14
8	1.6×1.6×3.0	Angle steel ∠ 180×18
9	1.8×1.8×3.0	Angle steel ∠ 180×14, ∠ 180×16
10	2.0×2.0×3.0	Angle steel ∠ 200×20, ∠ 200×24, ∠ 200×26
11	2.45×2.45×5.0	Angle steel ∠ 180×18 (inside two angle steel with rib)
12	2.5×2.5×6.0	H steel 293×266

Photos





More products available:

Tower Cranes

- ---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist ----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform

---Most popular model ZLP630, ZLP800: 630KG AND 800KG













No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China