

Building Hoist Spare Parts 1.508m High Mast Sections Factory Cost

Basic Information

• Place of Origin: China

• Brand Name: HYCM or others

Certification: ISO

Model Number: SC Construction Hoist mast

• Minimum Order Quantity: 30 set

• Price: \$295-400 per set

• Packaging Details: Naked packing, 20'GP and 40'HQ

containers.

• Delivery Time: 10 days after receiving the deposit

Payment Terms: Western Union, T/TSupply Ability: 100 sets per month



Product Specification

• Condition: 100% New

• Application: Building Hoist Spare Parts

• Type: Steel Structure

Color: Yellow, Red Or According To Clients Need

• High: 1.508m



More Images



Product Description

Building Hoist Spare Parts 1.508m High Mast Sections Factory Cost

- 1. Our mast section is in high quality, stability and the structure is in high tension.
- 2. Our company enjoys very advantageous geographical location and convenient transportation. Welcome to visit our factory at any time!

Application for Construction Hoist of Mast Section

No.	Hoist Model	Cage Number
1	SC50	Single cage
2	SC100	Single cage
3	SC150	Single cage
4	SC200	Single cage
5	SC100/100	Double cage
6	SC150/150	Double cage
7	SC200/200	Double cage

Main materials of Hoist Mast Section

a. High quality steel plate Q235B bended by special machine: Thickness 5mm

b. Welded steel tube Q345B (Seamless steel tube 20# is also available): Ø76×4.5mm or Ø89×4.5mm (Thickness of 6mm or

Electro-static coating Specifications: 650*650*1508mm or 800*800*1508mm Being Galvanized Specifications: 650*650*1508mm or 800*800*1508mm

Master Section For Construction Hoist

Model NO.: 650*650*1508mm

Standard: BS

Forming: Cold Drawn Steel Member: Steel truss

Carbon Structural Steel: Q235, Q345

Application: Building Elevator, Construction hoist for Building Construction Projects

Transport Package: Naked by Containers

Origin: Shandong, China

Connection Form: Bolts Connection

Type of Steel For Building Structure: Fire - Resistant Steel

Customization: Yes

Specification: 650*650*1508mm

HS Code: 84313900

About the mast section:

SC series lift standard section offer hot galvanizing process,

Each Section With Four 10.9 Dacromet Process High Strength Bolts,M16*85 High Strength Bolts

This Section Of The Standard Section Is: 650mm, 800mm; Height 1508mm The Price Of The Main Branch Diameter 76mm, 89mm; Thickness Of 4.5mm And 6mm.

After Boring Through a Dedicated CNC Machine Cut, Welded Precision Higher than The National Standard.

Rack Material Is LG60, To Ensure The Rack Quality Superior Than Counterparts.

The Mast Section (Color Is Variable) Is Made Of Seamless Tube Or HF Welded Tube.

Loading Containers Photos





0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China