

TC5008 Small Tower Turn Crane 800 kg Lift The Front 50m Boom Self-Erecting Type

Basic Information

• Place of Origin: China

Brand Name: HYCM TOWER CRANE
Certification: CE, ISO, GOST, CU-TR
Model Number: TC5008 Tower Turn Crane

Minimum Order Quantity:

• Price: \$33500-35600 per set

Packaging Details: Naked packing, 3*40'HQ containers.
Delivery Time: 10 days after receiving the deposit

Payment Terms: TT, LC

Supply Ability: 40 sets per month



Product Specification

Condition: 100% New

Application: Buildings And ProjectsType: Small, Self-Erecting

Max. Load: 4 TBoom: 50mThe Front: 800kg Lift

Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or

According To Clients Need

Mast section: 1.6*1.6*2.2 M
Main Chord: 160*12 Mm

After Sale Service: Engineers Available To Service Overseas



More Images



Product Description

TC5008 Small Tower Turn Crane 800 kg Lift The Front 50m Boom Self-Erecting Type

Shot Technicals

1. Model: QTZ50(TC5008) Topkit Tower Crane

2. Type: fixed and external climbing

3. jib length: 50m4. tip load: 0.8t5. max.laod: 4t

6.freestanding height: 29m

Overview

- 1. This type Tower Cranes with the "top head" also called Topkit tower crane, Cat Head tower crane, Kit Top tower crane ect.
- 2. This Small tower crane or mini tower crane used for lower story buildings construction, normally 5-15 lays.
- 3. This crane can save time on other jobsite duties by easily moving materials from one place to another.
- 4. They can be used in conjunction with other tower cranes at sites where space is confined

Specification

opecinication .		
Model		QTZ50 (5008) Tower Crane
Туре		Fixed
Working Radius (m)		50
Max. Load Capacity (T)		4
Tip Load (T)		0.8
Free standing height (m)		29
Max. Height with anchorages (m)		120
Mast Section dimension (m)		1.6×1.6×2.2, angle steel 160×12mm
Hoisting Mechanism	Speed (m/min)	(a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5
	Motor power (kw)	15/15/4
Slewing Mechanism	Speed (r/min)	0.70/0.35
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)		24.9
Power Supply		380V/50Hz or according to clients needs

Our Advantage

High quality

Raw material is the foundation of product and the first hurdle to guarantee quality. tower crane bulk purchase steel directly from big steel factories like Jinan steel, improve the safety of product.

First class components

First-class product composed by first-class components, insisted to use the first class components, such as Schneider electric element etc.

Safety protection

Completely safety protection devices improves the safety, weight limiters, adopt the advanced pull-ring structure from abroad, moment adopt bow-board mechanical type which can be used in severe wild environment.

RAG

1. Are you a manufacturer or a trading company?

We are as a professional manufacturer / factory since 2002 year for 15 years.

2. What is your advantage?

- 1) We are a manufacturer, so the price is more competitive than the trading company.
- 2) It is more effective to communicate with the factory, saving more time for you.
- 3) Timely after sales service
- 4) We also produce other construction machinery such as construction hoists, derrick cranes and ZLP Suspended Platform to meet your requirements.

3. How do you guarantee your product quality?

We have our professional testing department, and will test the machine all the progress, and will test it after finished and before delivery.

4. I plan to label our logo on your products, is that possible?

Sure it is ok. OEM is available for us. Just send your logo, brand name or picture to us.

Pictures









0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China