

Self Rising Tower Crane TC6020 Max Jib Length 60 meters 10TON Capacity

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Condition:	100% New	
 Application: 	Buildings And Projects Constructon	
• Туре:	Self Rising	
 Capacity: 	10tons	
 Max Jib Length: 	60 Meters	
 Height: 	50mts	
 Power supply: 	380V/50Hz Or According To Client's Requirements	
 Mast section: 	1.835*1.835*2.5m Or 2*2*3m	
Electric Box:	Schneider	
• Power:	380V 50Hz Or Others	

China

1

LC

TT, LC

10 sets per month

containers.

HYCM TOWER CRANE

CE, ISO, GOST, CU-TR

\$105800-120500 per set

TC6020 Self Rising Tower Crane

Naked packing, 6*40'HQ or 7*40;HQ

25 days after receiving the deposit or origin



for more products please visit us on hycmtowercrane.com



More Images

Product Description

Self Rising Tower Crane TC6020 Max Jib Length 60 meters 10TON Capacity

Shot Parameters

1.TC6020 Topkit Tower Crane

- 2. Type:fixed and external climbing
- 3. Jib length:60m
- 4. Tip load:2.0
- 5. Max.laod:10t

6.Freestanding height:50m

Specification

Model		QTZ125(6020)
Working Radius (m)		60
Max. Load Capactiy (T)		10
Tip Load (T)		2.0
Free Height Under Hook (m)		50
Max. Height with anchorages (m)		180
Mast Section dimension (m)		1.835×1.835×2.5 or 2*2*3
Hoisting	Speed (m/min)	0-100 0-50
Mechanism	Motor power (kw)	45kw
Slewing	Speed (r/min)	0-0.6
Mechanism	Motor power (kw)	5.5×2
Trolleying Mechanism	Speed (m/min)	0-60
	Motor power (kw)	5.5
Jacking-up	Speed (m/min)	0.4
System	Motor power (kw)	5.5
Total Power (kw)		61.5 (not includes jacking-up system)
Power Supply		380V/50Hz
Base type		Well shaped base/cross base/ base
		with ballast
No. of containers		7 x 40'HQs
Optional parts (if you need them, please let me know in advance)		1) Anemometer 2) Air condition in cabin 3) Block box 4) Remote control

Main Features

This Tower Cranes can handle high load capacities and have an unmistakable silhouette. The various size classes prove their worth for medium and large construction projects, for example for industrial and plant construction.

Customers around the world rely on our top-slewing cranes for major building projects. The intelligent high-performance drive units ensure high handling capacities and thus enhance efficiency.

Safety Devices

- 1. 3 obstacle lights
- 2. Height limiter
- 3. Slewing limiter
- 4. Range/ trolley limiter
- 5. Weight limiter
- 6. Moment limiter
- 7. Anemometer and block box(optional)

Why choose us

- 1. A professional tower crane supplier in China with 15 years experience
- 2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
- 3. Hydraulic self-climbing mechanism
- 4. Variable-frequency slewing mechanism
- 5. Varialbe-speed frequency PLC control System
- 6. Operation data display screen and Safety monitoring system (Black Box)
- 7. Various safety devices

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

for more products please visit us on hycmtowercrane.com



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China