

QTD120(5015) Luffing Tower Crane 50m Lifting Boom 1.5t End Load Capacity

Basic Information

Place of Origin: ChinaBrand Name: HYCM

Certification: CE, ISO, GOST, CU-TR

Model Number: QTD120(5015) Luffing Tower Crane

• Minimum Order Quantity: 1 set

• Price: \$107900-113500 per set

Packaging Details: Naked packing, 6*40'HQ containers.

• Delivery Time: 30 days after receiving the deposit or origin

LC

• Payment Terms: TT, LC

• Supply Ability: 10 sets per month



Product Specification

Application: Buildings And ProjectsType: Fixed With Tower Head

Max. Load: 8 T
 Lifting Boom: 50m
 End Load: 1.5 T


• Power supply: 380V/50Hz Or According To Client's

Requirements

Mast section: 1.6*1.6*3 M (split Type)
Main Chord: 180*18 Mm (angle Steel)



More Images





Product Description

QTD120(5015) Luffing Tower Crane 50m Lifting Boom 1.5t End Load Capacity

Performance parameters of D5015

- Max. jib length: 50m;Max. lifting capacity 8t;
- Max. hoisting capacity at jib tip:1.5t;
 Rated lifting moment: 1200 Kn.m;
- Max. freestanding height: 27m; Max. working height of anchored crane: 160m;

Specification

Model		QTD120 (5015) Luffing Tower Crane	
		50	Advantages of QTD120 Luffing Jib Tower Crane Use in extremely restricted areas Small slewing radii Modular design Pre-installed assemblies
Max. Load Capacity (T)		8	
Tip Load (T)		1.5	
Free standing height (m)		37	
Max. Height with anchorages (m)		160	
Mast Section dimension (m)		1.6×1.6×3, angle steel 180×18mm	
Hoisting Mechanism	Speed (m/min)	0-80 -040	Extreme hook heights Horizontal load movement Climbing inside buildings Safety monitoring during climbing Commercial Terms Price: Negotiable Delivery time: 30 days after receiving 30% advanced payment Trade terms: FOB (qingdao) Or CFR, CIF according to Clients needs Terms of Payment: T/T or L/C
	Motor power (kw)	24/24/5.4	
Slewing Mechanism	Speed (r/min)	0-0.6	
	Motor power (kw)	2*3.7	
Trolleying Mechanism	Speed (m/min)	0-10	
	Motor power (kw)	30	
Jacking-up System	Speed (m/min)	0.4	
	Motor power (kw)	7.5	
Total Power (kw)		34	(30% advanced payment, 70% before shipment) Packing: Standard Exporting
Power Supply		380V/50Hz or according to clients needs	
		•	Packing

Warranty: At least 12 months

Photos





0086-18254159408

