

QTD5015 Jib Luffing Tower Crane 165 ft Boom 8000kg Load Specificaion

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: TT, LC

China HYCM

CE, ISO, GOST, CU-TR

\$107900-113500 per set

10 sets per month

QTD5015 Luffing Tower Crane

Naked packing, 6*40'HQ containers.

30 days after receiving the deposit or origin

- Supply Ability:
- Cuppiy Ability.



Product Specification

- Application:
- Type:
- Load Specification:
- Boom:
- End Load:
- Power supply:
- Mast section:
- Main Chord:

Buildings And Projects Fixed With Tower Head 8000kg 165 Ft 1.5 T 380V/50Hz Or According To Client's Requirements 1.6*1.6*3 M (split Type) 180*18 Mm (angle Steel)



More Images



QTD5015 Jib Luffing Tower Crane 165 ft Boom 8000kg Load Specificaion

Performance parameters

Max. jib length: 50m;

• Max. lifting capacity 8t;

• Max. hoisting capacity at jib tip:1.5t;

Rated lifting moment: 1200 Kn.m;

• Max. freestanding height: 27m; Max. working height of anchored crane: 160m;

Specification

Model		QTD120 (5015) Luffing Tower Crane
Working Radius (m)		50
Max. Load Capacity (T)		8
Tip Load (T)		1.5
		37
Max. Height with anchorages (m)		160
		1.6×1.6×3, angle steel 180×18mm
Hoisting Mechanism	Speed (m/min)	0-80 -040
	Motor power (kw)	24/24/5.4
Slewing Mechanism	Speed (r/min)	0-0.6
	Motor power (kw)	2*3.7
Trolleying Mechanism	Speed (m/min)	0-10
	Motor power (kw)	30
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	7.5
Total Power (kw)		34
Power Supply		380V/50Hz or according to clients needs

Commercial Terms

Price: Negotiable

Delivery time: 30 days after receiving 30% advanced payment Trade terms: FOB (qingdao) Or CFR, CIF according to Clients needs Terms of Payment: T/T or L/C (30% advanced payment, 70% before shipment) Packing: Standard Exporting Packing Warranty: At least 12 months

Photos





