

# Mini 700kg Load Inner Climbing Tower Crane 9mts Jib Length CIF Brazil

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: Western Union, L/C, T/T

China

HYCM

CE, ISO

QT10 Inner climbing Tower Crane

20 days after receiving the deposit

Naked packing, 40'GP or 40'HQ containers.

\$8500-10100 per set

30 sets per month

Supply Ability:



### **Product Specification**

#### • Condition: 100% New • Application: **Buildings And Projects** • Type: Inner Climing • Load: 700kg • Jib Length: 9mts 10m • Height: • Power: 380V/60Hz, 380V/50Hz Or Others 0.55\*0.55\*1.25m Mast section: • After Sale Service: Engineers Available To Service Overseas

700kg inner climbing tower crane, Mini inner climbing tower crane, 700kg self climbing tower crane



### More Images

• Highlight:





#### Mini 700kg Load Inner Climbing Tower Crane 9mts Jib Length CIF Brazil

#### **Short Parameters**

1. Model: QT10 Inner Climbing Tower Crane

- 2. Type: fixed and inner climbing
- 3. Jib length: 9m
- 4. Load: 0.7t

5. Mast Section height: 10m

#### Specification of Small Internal Climbing Tower Crane

Rated Lifting Moment	10KN.M
Rated Loading Capacity	0.7t
Mast section height	10m
Max. Lifting Height	60m
Span	9m
Hoisting speed	40/20 m/min
Slewing speed	0-0.55 r/min
Power supply	380V/50Hz or others
Power Capacity	5Kw
Electric switch box	Schneider
Mast Section	0.55*0.55*1.25m

#### **Description of Small Internal Climbing Tower Crane**

1. QT10 tower crane belong to upper-swing hydraulic inner climbing tower crane with horizontal jib.

2. All kinds of performance parameters and technical items are up to or better than the National Standard.

3. The max radius is 6m. Independent loading-lifting height is 10m. Max. climbing loading-lifting height is 60m. The rated load moment is 10KN.m.

#### Our Service

If the buyer needs help in the period of fixing, the seller will send one technician to the buyer's place to guide the installation until the crane installation is completed, but no more than 15 working days The buyer is in charge of the visa, round-trip tickets, accommodation.

The buyer shall pay 50-80 US dollars every day to the technician as allowance.


The seller is not responsible for the maintenance of the vulnerable components, but can supply free replacement together with the crane.

If the buyer operates the products confirming to the requirements in the service manual, non-vulnerable parts accrues problem found the manufactory will help buyer mend or change the broken accessories within one year.

The seller is not responsible for any accident or damage to the tower crane caused by user's failure to do regular maintenance or to follow the safety procedures provided in Manual.

We promise that any of your inquiry will be respond in 24 hours!

### Produce process of Small Internal Climbing Tower Crane Raw Material - Cutting - Welding - Shot Blasting - Assembling - Painting



More Photos of Small Internal Climbing Tower Crane

