



## QT10 Mini Inner Climbing Tower Crane 12m Boom Length 500kg End Load

Our Product Introduction

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

### Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO
- Model Number: QT10 Inner climbing Tower Crane
- Minimum Order Quantity: 1 set
- Price: \$8900-10600 per set
- Packaging Details: Naked packing, 40'GP or 40'HQ containers.
- Delivery Time: 20 days after receiving the deposit
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 30 sets per month



### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Mini Inner Climing
- End Load: 500kg
- Boom Length: 12M
- Height: 10m
- Power: 440V/60Hz, 380V/60Hz Or Others
- Mast section: 0.55\*0.55\*1.25m
- After Sale Service: Engineers Available To Service Overseas



### More Images



## Product Description

### QT10 Mini Inner Climbing Tower Crane 12m Boom Length 500kg End Load

#### Short Parameters

1. Model: QT10 Inner Climbing Tower Crane
2. Type: fixed and inner climbing
3. Jib length: 12m
4. Load: 500kg
5. Mast Section height: 10m

#### Specification of Small Internal Climbing Tower Crane

Rated Lifting Moment	10KN.M
Rated Loading Capacity	0.5t
Mast section height	10m
Max. Lifting Height	60m
Span	12m
Hoisting speed	40/20 m/min
Slewing speed	0-0.55 r/min
Power supply	380V/50Hz or others
Power Capacity	5Kw
Electric switch box	Schneider
Mast Section	0.55*0.55*1.25m

#### Description of Small Internal Climbing Tower Crane

1. QT10 tower crane belong to upper-swing hydraulic inner climbing tower crane with horizontal jib.
2. All kinds of performance parameters and technical items are up to or better than the National Standard.
3. The max radius is 6m. Independent loading-lifting height is 10m. Max. climbing loading-lifting height is 60m. The rated load moment is 10KN.m.

#### Our Service

If the buyer needs help in the period of fixing, the seller will send one technician to the buyer's place to guide the installation until the crane installation is completed, but no more than 15 working days The buyer is in charge of the visa, round-trip tickets, accommodation.

The buyer shall pay 50-80 US dollars every day to the technician as allowance.

The seller is not responsible for the maintenance of the vulnerable components, but can supply **free** replacement together with the crane.


If the buyer operates the products confirming to the requirements in the service manual, non- vulnerable parts accrues problem found the manufactory will help buyer mend or change the broken accessories within one year.

The seller is not responsible for any accident or damage to the tower crane caused by user's failure to do regular maintenance or to follow the safety procedures provided in Manual.

**We promise that any of your inquiry will be respond in 24 hours!**

#### Produce process of Small Internal Climbing Tower Crane

**Raw Material - Cutting - Welding - Shot Blasting - Assembling - Painting**



**More Photos of Small Internal Climbing Tower Crane**



机构特性 Mechanisms specification					kw	
起升 Hoisting		m/min	40	20	2.2/3.3	
回转 Slewing		r/min	0~0.55		1.5	
 电源 Power Supply		380V50Hz/440V60Hz		kVA 供电容量 Power supply capacity	5 kVA	
主要性能参数 Main Specifications						
起重量 Hoisting Capacity	t	0.7t/9m; 1t/6m	起重力矩 Hoisting Moment	t.m	10	
起升高度 Hoisting Height	m	10	自重 Self weight	t	2.5	
最大内爬高度 Maximum Inner Climbing Height	m	60	标准节截面 Mast size	m	0.55X0.55X1.25	



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China