



QTD125 Luffing Tower Crane 10t Load Capacity For High Buildings Construction

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTD125 Luffing Tower Crane
- Minimum Order Quantity: 1 set
- Price: \$136900-149000 per set
- Packaging Details: Naked packing, 9*40'HQ containers.
- Delivery Time: 30 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 5 sets per month



Product Specification

- Application: High Buildings Construction
- Type: Fixed Base Foundation External Climbing
- Load Capacity: 10t
- Jib: 45m
- Tip. Load: 2.6 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast: 3mts
- Main Chord: 200*20 Mm (angle Steel)



More Images



Product Description

QTD125 Luffing Tower Crane 10t Load Capacity For High Buildings Construction

Short Description

- 1.QTD125(5020) Luffing Tower Crane
2. Type: fixed and external climbing
3. Jib length: 50m
4. Tip load: 2.0t
5. Max.laod: 10t
- 6.Freestanding height: 37.5m

Specification

| | |
|------------------------|---|
| Rated Lifting Moment | 1250KN.M |
| Rated Loading Capacity | 10t |
| Max. Lifting Load | 10t |
| Tip Load | 2.6t |
| Max. Lifting Height | 200m |
| Free standing height | 37.5m |
| Span | 45m |
| Working range | 5-45m |
| Slewing speed | 0-0.7 r/min |
| Trolley speed | 1min40s |
| Jacking-up speed | 0.4 m/min |
| Hoisting speed | (a=2) 0-80/40; (a=4) 0-40/20 |
| Counter jib length | 8.7m |
| Power supply | 380V/50Hz or according to client's requirements |
| Power Capacity | 89.5Kw |
| Electric switch box | Schneider |
| Main Material | 200*20/angle steel |
| Mast section | 2*2*3m, split structure |

Competitive Advantage:

Light structure, good stability, convenient transportation; Mast sections are SAW welding, safe and reliable. Advanced mechanisms, equipped with various safety devices, mechanical or Mechatronics products work in wretched conditions to keep tower cranes work well.

Equipped with excellent safety devices produced by world-class technology, including weight limiter, moment limiter, height limiter, radius limiter, slewing limiter, slewing and trolleying brakes.

Anti-broken wire rope device and anti-broken shaft device

Advanced electronic appliances.

Commercial Terms

Price: Negotiable

Delivery time: 20-40 days after receiving 30% advanced payment

Trade terms: FOB (qingdao)

Terms of Payment: T/T or L/C (30% advanced payment, 70% before shipment)


Packing: Standard Exporting Packing

Warranty: At least 12 months

Photos



INSTALLATION OF TOWER CRANE





0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu
District, Jinan City, Shandong Province, China