

Big New Model TC7525 Topkit Tower Crane 16tons 75m Boom Specification

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Condition:	100% New
 Application: 	High-rise Buildings Construction Site
• Type:	Big New Model
• Load:	16tONS
• Boom:	75m
• Tip Load:	2.5t
 Mast section: 	3m Potain L68
• Electric Box:	Schneider
• Power Supply:	380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
Color:	Yellow, Red Or According To Clients Needs

China

1

origin LC TT, LC

5 sets per month

HYCM TOWER CRANE

CE, ISO, GOST, CU-TR

\$181200-263000 per set

TC7525 Topkit Tower Crane

Naked packing, 9*40'HQ containers.

25-30 days after receiving the deposit or



More Images





Big New Model TC7525 Topkit Tower Crane 16tons 75m Boom Specification

Short Parameter

- 1.TC7525 Topkit Tower Crane
- 2. Type: fixed and external climbing
- 3. jib length: 75m
- 4. tip load:2.5t 5. max.laod:16t
- 6.freestanding height:48m

Description

1. This series tower crane is characterized by horizontal jib frame, trolley travel, slewing self-climbing, novel structure and reliable running.

- 2. All accessories are adopted from home famous brands and electrical components
- from international famous brands.

3. "Quality First" is not just a slogan, which has already deeply rooted in HYCM People's soul, besides we will also make all your purchases in unlimited satisfaction with star-rated after-sales services.

Specification

Rated Lifting Moment	2500KN.m
Rated Loading Capacity	16t
Max. Lifting Load	16t
Tip Load	2.5t
Max. Lifting Height	183m
Jib length / Span	75m
Free standing height	48m
Rope length	550m
Working range	3 to 75m
Slewing speed	0-0.7r/min
Trolleying speed	0-65 m/min
Jacking-up speed	0.4m/min
Counter jib length	19m
Topkit Height	10m
Power supply	380V/50Hz or others
Power Capacity	77.5Kw
Electric switch box	Schneider
Hoisting speed	(a=2)0-63, (a=4)0-31.5
Mast section	2.0*2.0*3.0m (split structure)
Main material	200*20mm/angle steel/Q345B

The process features

1): Automatic submerged arc welding is adopted in the main section limbs and chord boom. It has high thermal efficiency, high penetration, high production efficiency, while reducing the pores and crack defects, increases the weld strength and the beautiful appearance.

2): We adopt carbon dioxide gas welding; it has heat concentrated, a small welding line, high strength and resistance to rust and crack. it can reduce tress and deformation, it has high strength and resistance to rust and crack.

3): Shot blasting is used for masts to strength the hardness of steel surface; enhance the paint adhesion and prolonging its life

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

RAQ

1. Are you a manufacturer or a trading company?

We are as a professional manufacturer / factory since 2002 year for 16 years.

2. What is your advantage?

- 1) We are a manufacturer, so the price is more competitive than the trading company.
- 2) It is more effective to communicate with the factory, saving more time for you.

3) Timely after sales service

4) We also produce other construction machinery such as construction hoists, derrick cranes and ZLP Suspended Platform to meet your requirements.

for more products please visit us on hycmtowercrane.com

3. How do you guarantee your product quality?

We have our professional testing department, and will test the machine all the progress, and will test it after finished and before delivery.

4. I plan to label our logo on your products, is that possible?

Sure it is ok. OEM is available for us. Just send your logo, brand name or picture to us.

5. How about the warranty period ?

The warranty will be one year from the date of shipment. Any detected parts during this period caused by the quality of products will be replaced by seller free of cost (exclude wear and tie parts), improper operation and other man made reasons are excluded.

Pictures 76.72m 19.2m 9.93m 0 0 0 mmm 75n 251 5 010. 70n [3.0f] 65m 3.4 0 60m 3.850 SSm 4.37 T H (max) 183m 58 57 51 50 43 8 42 35 34 4500 标准附着安装示意图 27 182 H49m H48m 19 13 13 12 11 12 11 10 18 10 11 2 3 2 1 V///// VIIIIA

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane
 0086-18254159408 emma1109@foxmail.com
 hycmtowercrane.com
 No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China