

5 tons Max. Load Topkit Tower Crane QTZ5013 50mts Boom 1.3tons Tip Load

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- LC • Payment Terms: TT, LC
- Supply Ability:



Product Specification

| Condition: | 100% New | |
|-----------------------------------|--|--|
| Application: | Buildings And Projects | |
| • Type: | Fixed With Tower Head | |
| • Max.Load: | 5 Tons | |
| • Boom: | 50mts | |
| • Tip Load: | 1.3tons | |
| • Power supply: | 380V/50Hz Or According To Client's Requirements | |
| Mast section: | 1.6*1.6*2.5m (blcok Type) | |
| Electric Box: | Schneider | |
| | | |

China

1

HYCM TOWER CRANE

CE, ISO, GOST, CU-TR

\$42600-47900 per set

40 sets per month

QTZ5013 Topkit Tower Crane

Naked packing, 5*40'HQ containers.

10 days after receiving the deposit or origin

- Power Supply:
- Schneider
- 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need



More Images



5 tons Max. Load Topkit Tower Crane QTZ5013 50mts Boom 1.3tons Tip Load

Short Parameter

- 1.QTZ63(TC5013) Topkit Tower Crane
- 2. Type: fixed and external climbing
- 3. jib length:50m
- 4. tip load:1.1.3t

5. max.laod: 5t 6.freestanding height:35m

Specification

| opoonnounom | | |
|---------------------------------|------------------|-------------------------------------|
| Model | | QTZ63 (5013) Tower Crane |
| Working Radius (m) | | 50 |
| Max. Load Capacity (T) | | 5 |
| Tip Load (T) | | 1.3 |
| Freestanding height (m) | | 35 |
| Max. Height with anchorages (m) | | 150 |
| Mast Section dimension (m) | | 1.6×1.6×2.5, square tube 135×10mm |
| Hoisting Mechanis Speed (m/min) | | 70/35/7.0, 35/17/3.5 |
| | Motor power (kw) | 18/18/5 |
| Slewing Mechanism | Speed (r/min) | 0.7/0.35 |
| | Motor power (kw) | 2*3.7 |
| Trolleying Mechanism | Speed (m/min) | 38.6/25.2 |
| | Motor power (kw) | 1.5/2.2 |
| Jacking-up System | Speed (m/min) | 0.4 |
| | Motor power (kw) | 4 |
| Total Power (kw) | | 24.9 |
| Power Supply | | 380V/50Hz, 415/50Hz, 220V/60Hz, ect |
| | | • |

Advantage

1. 15 years of experience in supplying all kinds of tower cranes.


- 2. Export to more than 20 countries with CE/ ISO/ GOST/ CU-TR Certifications.
- 3. Mobile and internal climbing type tower cranes are also offering.
- 4. Rost blasting and rust protection painting with advanced painting process.
- 5. Strict and experience welding line.
- 6. New designed mast, can be also used to Internal Climbing tower cranes.
- 7. Well known brand mechanism system, Schneider Electronic control system.
- 8. Engineers are available to service machinery overseas.
- 9. For long warranty: 12 months from the B/L date.
- besides, some free easy-worn spare parts are provided with the crane.

Description

1. Durable and economical, HYCM tower crane is widely used at major construction sites, lifting steel, generators, large tools and other building materials.

2. Our tower crane adopts high-end configuration and advanced technologies to ensure their high performance, safety, easy operation and maintenance.

Photos



O086-18254159408 emma1109@foxmail.com income hypertowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China