



## TC5013 Topkit Tower Crane Fixed with Hammer Head Type 5t Load Parameter

### Our Product Introduction

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

#### Basic Information

- Place of Origin: China
- Brand Name: HYCM TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: TC5013 Topkit Tower Crane
- Minimum Order Quantity: 1
- Price: \$42600-47900 per set
- Packaging Details: Naked packing, 5\*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



#### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Hammer Head
- Load: 5T
- Boom: 50mts
- Tip Load: 1.3tons
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6\*1.6\*2.5m (blcok Type)
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Highlight: **Topkit Tower Crane 5t load,  
Hammer Head Tower Crane,  
Fixed Tower Crane with warranty**



#### More Images



## Product Description

### TC5013 Topkit Tower Crane Fixed with Hammer Head Type 5t Load Parameter

#### Short Parameter

- 1.QTZ63(TC5013) Topkit Tower Crane
2. Type: fixed and external climbing
3. jib length:50m
4. tip load:1.1.3t
5. max.laod: 5t
- 6.freestanding height:35m

#### Specification

Model	QTZ63 (5013) Tower Crane	
Working Radius (m)	50	
Max. Load Capacity (T)	5	
Tip Load (T)	1.3	
Freestanding height (m)	35	
Max. Height with anchorages (m)	150	
Mast Section dimension (m)	1.6×1.6×2.5, square tube 135×10mm	
Hoisting Mechanis	Speed (m/min)	70/35/7.0, 35/17/3.5
	Motor power (kw)	18/18/5
Slewing Mechanism	Speed (r/min)	0.7/0.35
	Motor power (kw)	2*3.7
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	1.5/2.2
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)	24.9	
Power Supply	380V/50Hz, 415/50Hz, 220V/60Hz, ect	

#### Advantage

1. 15 years of experience in supplying all kinds of tower cranes.
  2. Export to more than 20 countries with CE/ ISO/ GOST/ CU-TR Certifications.
  3. Mobile and internal climbing type tower cranes are also offering.
  4. Rost blasting and rust protection painting with advanced painting process.
  5. Strict and experience welding line.
  6. New designed mast, can be also used to Internal Climbing tower cranes.
  7. Well known brand mechanism system, Schneider Electronic control system.
  8. Engineers are available to service machinery overseas.
  9. For long warranty: 12 months from the B/L date.
- besides, some free easy-worn spare parts are provided with the crane.

#### Description

1. Durable and economical, HYCM tower crane is widely used at major construction sites, lifting steel, generators, large tools and other building materials.
2. Our tower crane adopts high-end configuration and advanced technologies to ensure their high performance, safety, easy operation and maintenance.

#### Safety devices:

- 1): Hoist height limit
- 2): Over speed limit
- 3): Over load limit
- 4): Lifting moment limit
- 5): Slewing angle limit
- 6): Emergency stop button
- 7): Obstruction light (tip of jib, tower head)
- 8): Wind lock device.

#### Photos



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China