



500kg SC50 Building Hoist Special Lift for Tower Crane Use Manufacturer

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM or XINGDAO
- Certification: CE, ISO
- Model Number: SC Building Hoist
- Minimum Order Quantity: 1 set
- Price: \$15500-33300 per set
- Packaging Details: Naked packing, HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 40 sets per month



Special lift for Tower Crane

DESCRIPTION	SPECIFICATION
TYPE	SC50
LOADING	500kg
SPEED	0-40m/min
MAX HEIGHT	200m
CABIN SIZE	2*0.8*2.2m
MAST	650*150*1508mm / 650*1508mm
MOTOR	13kw
GEARBOX	1:1:18
ELECTRIC	VFD 13kw
SAFETY DEVICE	SAJ30-1.8
POWER RAIL	4*120*40mm



Product Specification

- Condition: 100% New
- Application: Tower Crane Use
- Type: Electric Cable Climbing
- Load: 500kg
- Max. Height: 150-500m
- Rated Speed: 33m/min Or Others
- Power supply: 380V/50Hz Or According To Client's Requirements
- Motor Power: 1*13kw
- Motor Brand: Xingxiang, Shuangma, sanshang, Juli Or Other
- Mast Section Size: 650*1508mm



More Images



Product Description

500kg SC50 Building Hoist Special Lift for Tower Crane Use Manufacturer

Short Introduction

1. SC50 Single Cage Constructoin Hoist
2. Rated laod: 500kg
3. Max. height: 250m
4. Speed: 33m/min
5. Cage size: 1*1.2*2.2m
6. Use rack-and-pinion transmission technology.
7. CNC Plasma/Flame Cutting Machine
8. Mast Section Robot welding line
9. Impeller Blasting
10. Baking painting
11. Full set safety device
- 12 Accepted customer's OEM

Specification

Description	Specification
Lifting Capacity	500Kg
Cage Inner Size(W×L×H)	1×0.8×2.2m without cab
Maximum Lifting Height	500m
Running Speed	33 or 0-33 or 0-60m/min
Motor	1×13Kw
VFD	15Kw
Safety Device	SAJ 30-1.2
Mast Section	650×1508mm
Power Source	380V, 50/60Hz
Power transmission	Cable trolley or slide line assemble

Main Characteristic

1. The mast sections of construction hoist adopt welding robot to weld, reliable in price and elegant in appearance.
2. All the structures adopt reaming impeller blasting technology, the adhesion of surface painting is good.
3. The wall around cage can be fixed by Punched Aluminum plate, Punched zinc plate, steel wire mesh.
4. Professional manufacturer provide the transmission gear, high mechanical efficiency, extended service life, steady performance.
5. Overload protection, variety of limiter and mechanical chain device are reliable and complete, optimal safety device select SAJ30-1.2, which restrict the excessive downward movement of the cage and prevents cage falling accidents.
6. Variable-frequency construction elevator are safe, stead, comfort, start electricity is smaller then the working electricity and efficient.

Its main products include

1. PLC construction lifts / Elevator.
2. Low, medium, and high-speed variable frequency construction lifts / Elevator.
3. Special purpose construction lifts, such as power plant cold water tower construction lifts, mini rack construction lifts for tower crane, and mine construction lifts.
4. Inclined construction lifts.
5. Small rack observation lift.
6. High-level test bed maintenance lift.
7. Other OEM type rack and pinion vertical lift.



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China

