

500kg New Design Model SC50 Building Hoist for Cranes Tower with Cable **Trolley**

Basic Information

. Place of Origin: China

Brand Name: **HYCM or XINGDAO**

CE, ISO · Certification:

Model Number: SC Building Hoist

• Minimum Order Quantity: 1 set

• Price: \$15500-33300 per set

· Packaging Details: Naked packing, HQ containers.

• Delivery Time: 10 days after receiving the deposit or origin

• Payment Terms: Western Union, L/C, T/T • Supply Ability:

40 sets per month



Product Specification

• Condition: 100% New

· Application: For Cranes Tower Type: With Cable Trolley

Load: 500kg • Max. Height: 150-500m

• Rated Speed: 0-33m/min Or Others

Power supply: 380V/50Hz Or According To Client's

Requirements

Motor Power: 1*13kw • Cage Size: 1m

 Mast Section Size: 650*1508mm



More Images



Product Description

500kg New Design Model SC50 Building Hoist for Cranes Tower with Cable Trolley

Short Introduction

1. SC50 Single Cage Constructoin Hoist

Rated laod: 500kg
Max. height: 150-500m
Speed: 0-33m/min or others
Cage size: 1*0.8*2.2m

6. Use rack-and-pinion transmission technology.

7. CNC Plasma/Flame Cutting Machine

8. Mast Section Robot welding line

9. Impeller Blasting

10. Baking painting

11. Full set safety device

12 Accepted customer's OEM

Specification

Description	Specification
Lifting Capacity	500Kg
Cage Inner Size(W×L×H)	1×0.8×2.2m without cab
Maximum Lifting Height	500m
Running Speed	0-33 or others
Motor	1×13Kw
VFD	15Kw
Safety Device	SAJ 30-1.2
Mast Section	650×1508mm
Power Source	380V, 50/60Hz
Power transmission	Cable trolley or slide line assemble

Main Characteristic

- 1. The mast sections of construction hoist adopt welding robot to weld, reliable in price and elegant in appearance.
- 2. All the structures adopt reaming impeller blasting technology, the adhesion of surface painting is good.
- 3. The wall around cage can be fixed by Punched Aluminum plate, Punched zinc plate, steel wire mesh.
- 4. Professional manufacturer provide the transmission gear, high mechanical efficiency, extended service life, steady performance.
- 5. Overload protection, variety of limiter and mechanical chain device are reliable and complete, optimal safety device select SAJ30-1.2, which restrict the excessive downward movement of the cage and prevents cage falling accidents.
- 6. Variable-frequency construction elevator are safe, stead, comfort, start electricity is smaller then the working electricity and efficient.

Its main products include

- 1.Builder's hoist/ building hoist: The Cabin & Cage, Mast Section, wall tie and all other parts, we can do OEM for customers, and we can make the proper solution according to customer building situation
- 2.Industrial lift: OEM as customer site situation or customer detailed requirement
- **3.Tower crane mini hoist**: OEM as customer's tower crane mast section and site situation.
- 4. Materials hoist: Supply safety and stable working performance materials hoist
- 5.Mast climber, Mast climbing platform: Semi-Automatic PET Bottle Blowing Machine Bottle Making Machine Bottle Moulding Machine.

6.Inlaid Loading platform for tower crane: hot sale and large load capacity, convenient and high efficient.

7.Pulling type Loading platform for tower crane: Very huge function, pulling out or pulling in flexible, more safety











Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086-18254159408

emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China