



SJY Series Mobile Scissor Lift Platform 300kg - 1000kg Load 4m to 18m Platform Height

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM or others
- Certification: ISO, CE
- Model Number: SJY Scissor Lift Platform
- Minimum Order Quantity: 1 set
- Price: \$2100-16000 per set
- Packaging Details: Plywood package, LCL or 20'GP, 40'HQ construction
- Delivery Time: 7-10 days
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 50 sets per month




Product Specification

- Condition: 100% New
- Application: Load Passengers To Aerial Work
- Type: With 4 Wheels
- Load: 300-1000kg
- Platform Height: 4-18m
- Rated Speed: 4-6 M/min
- Power: 380v /50Hz Or Others
- Motor Power: 1.1-5 Kw
- Platform Material: High Strength Steel
- Color: Blue, Yellow Or Others



More Images



Product Description

SJY Series Mobile Scissor Lift Platform 300kg - 1000kg Load 4m to 18m Platform Height

General Introduction of this mobile scissor lift platform

1. Load capacity: 300-1000kg
2. Height: 4-18m
3. Drive power: 4 pneumatic rubber tyres.
4. Applications: aerial installation, maintenance, clean at the construction sites, workshops, warehouse, hotel, airport, wharf, gas station and stadium etc.
5. Custom-made according to the requirement
6. The worker can control the scissor lift on the platform when raised by handle .
7. The worker can also control the lift on the floor by handle control

Specification

Model	Platform size	Rated load	Platform height	Total size (mm)	Weight (kg)
YLSJY0.3-4	2100*820mm	300kg	4m	2200*980*1100	850
YLSJY 0.3-6	2100*820mm	300kg	6m	2200*950*1200	880
YLSJY 0.3-7	2100*820mm	300kg	7m	2200*950*1280	980
YLSJY 0.3-8	2100*900mm	300kg	8m	2200*1060*1380	1050
YLSJY 0.3-9	2100*900mm	300kg	9m	2200*1060*1500	1165
YLSJY 0.3-10	2100*1200mm	300kg	10m	2200*1350*1530	1360
YLSJY 0.3-11	2100*1200mm	300kg	11m	2200*1400*1650	1700
YLSJY 0.3-12	2550*1500mm	300kg	12m	2720*1670*1750	2260
YLSJY 0.3-14	2810*1500mm	300kg	14m	3045*1730*1810	2410
YLSJY 0.3-16	3070*1600mm	300kg	16m	3250*1800*1920	3400
YLSJY 0.3-18	3070*1600mm	300kg	18m	3250*1800*2080	3600
YLSJY 1.0-6	2110*1230mm	1000kg	6m	2200*1350*1260	1280
YLSJY 1.0-8	2110*1230mm	1000kg	8m	2200*1350*1420	1580
YLSJY 1.0-10	2110*1200mm	1000kg	10m	2200*1350*1530	1700
YLSJY 1.0-12	2550*1500mm	1000kg	12m	2720*1670*1810	2560
YLSJY 1.0-14	2810*1530mm	1000kg	14m	3045*1730*1810	2760

How to get the quotation if all the model is not suitable for you?

Please let me know:

Load capacity, Lifting height, Platform size or other special request.

Function

1. High working capacity, easily pushed around, most spacious platforms for several people to work on
2. High strength steel structures, smoothly lift up and drop down, easily operated, few faults.
3. Moving method: 4 wheel and 2 wheel types are optional, it can be pneumatic rubber tyres, solid rubber tyres or polyurethane tyres.
4. Power sources: local power available at the working sites (110V, 220V, 380V, 415V), diesel engines and generators

Features

2. An ideal equipment of safe operation
3. It is characterized by great loading capacity.
4. Steady ascending and descending
5. Mobile convenient, easy to work.
6. Local voltage can be customized (110V, 220V, 380V)
7. Lift power: AC, DC or diesel available.

Safety protection

1. Explosion-proof valves: protect hydraulic pipe, anti-hydraulic pipe rupture
2. Spillover valve: It can prevent high pressure when the machine moves up. Adjust the pressure.
3. Emergency decline valve: it can go down when you meet an emergency.

Service

1. Delivery time

Within 7- 15 working days after we receive the order.

2. Payment terms

T/T, L/C, Western Union, PayPal, other kinds, pls contact with us.

3. MOQ

Generally speaking, the MOQ is 1 set

4. Warranty

We assure reply the email within 24 hours.

We assure 12 month quality warranty time.

During the warranty period we guarantee to supply free replacement parts to any defective of our product



More products available:

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform

- Most popular model ZLP630, ZLP800: 630KG AND 800KG

□□□



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China