

500kg SJY0.5-10 Scissor Lift Working Platform Hydraulic Lift with Diesel Engine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

100% New • Condition: • Application: Load Passengers To Aerial Work • Type: Hydraulic Lift With Diesel Engine 500kg Load: • Platform Height: 10m • Rated Speed: 4-6 M/min 380v /50Hz Or Others • Power: Motor Power: 3 Kw • Platform Material: High Strength Steel • Platform Size:

China

ISO,CE

HYCM or others

\$2990-4600 per set

Western Union, L/C, T/T

50 sets per month

construction

7-10 days

SJY0.5-10 Scissor Lift Platform

Plywood package, LCL or 20'GP, 40'HQ

- 2100*1230mm
- Color:
- Weight:
- Blue, Yellow Or Others
- 1360kg



More Images



500kg SJY0.5-10 Scissor Lift Working Platform Hydraulic Lift with Diesel Engine

General Introduction

- 1. Load capacity: 500kg
- 2. Platform height: 10m
- 3. Drive power: 4 pneumatic rubber tyres.
- 4. Applications: aerial installation, maintenance, clean at the construction sites, workshops, warehouse, hotel, airport, wharf, gas station and stadium etc.
- 5. Custom-made according to the requirement
- 6. The worker can control the scissor lift on the platform when raised by handle .
- 7. The worker can also control the lift on the floor by handle control

Specification

Model No.	SJY0.5-10 Scissor Lift	
Туре	Mobile and self rising (manpower travel, could equipt assisted travel by adding battery)	
Load Capacity	500kg	
Platform Height	10m	
Working Height	12m	
Platform size	2100*1230mm	
Total size (without guardrail)	2260*1440*1610mm	
Weight	1360kg	
Power	3kw/380v/50Hz	
Lift speed	4-6m/min	
Optional	DC, Diesel or AC and DC	

Function

1. High working capacity, easily pushed around, most spacious platforms for several people to work on

2. High strength steel structures, smoothly lift up and drop down, easily operated, few faults.

3. Moving method: 4 wheel and 2 wheel types are optional, it can be pneumatic rubber tyres, solid rubber tyres or polyurethane tyres.

4. Power sources: local power available at the working sites (110V, 220V, 380V, 415V), diesel engines and generators

Safety protection

- 1. Explosion-proof valves: protect hydraulic pipe, anti-hydraulic pipe rupture
- 2. Spillover valve: It can prevent high pressure when the machine moves up. Adjust the pressure.
- 3. Emergency decline valve: it can go down when you meet an emergency.

Service

- 1. All the machines will be full tested before shipment
- 2. The total machine guarantee is 12 moths
- 3. 24 Hours technical support, email, telephone or video online
- 4. User-friendly english manual for machine using and maintaining
- 5. Sereral sets wearing parts will be free for you





More products available:

Tower Cranes

---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.

---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t. ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.

---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist

------ Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform

---Most popular model ZLP630, ZLP800: 630KG AND 800KG

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane				
0	0086-18254159408	emma1109@foxmail.com	bycmtowercrane.com	
No.218-1,		Building, Zone 8, Dongshan Ga inan City, Shandong Province,	rden, Shuangshan Street, Zhangqiu China	