



ZLP Steel Wire Suspended Working Platform Steel Hot Galvanized Alloy Material

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM or others
- Certification: ISO, CE
- Model Number: ZLP Platform
- Minimum Order Quantity: 1 set
- Price: \$2000-4200 per set
- Packaging Details: Pallet per set. LCL or 20'GP, 40'HQ construction
- Delivery Time: 7-10 days
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 50 sets per month



Product Specification

- Condition: 100% New
- For: Window Cleaning
- Type: Steel Hot Galvanized Alloy Material
- Load: 630-1000kg
- Working Height: 100m
- Rated Speed: 8-10 Or 9-11 M/min
- Power: 380v 50Hz Or Others
- Power: 1.5-2.2kw
- Rope: 8.3-9.1mm
- Platform: 6-7.5m



More Images



Product Description

ZLP Steel Wire Suspended Working Platform Steel Hot Galvanized Alloy Material

Introduction:

1m, 2m, 3m, 1.5m, 2.5m to the length made.
 Rated Load: 630-1000KG
 Rated Lifting Speed: 8-10 or 9-11 m/min
 Length of Platform: 6000-7500mm or others
 Surface Proceeding: Steel materials(Galvanized,Spraying) or Aluminum
 Lifting Height: 100m
 Cable: 95m
 Max Lifting Height:300m
 Steel Rope: 8.3-9.1mm
 Hoist Power: 1.5-2.2KW*2
 Voltage:380V, 50HZ,3 Phase(standard), 440V/60HZ, 220V/60Hz or others.
 Safety Lock Permission Force of Impact: 30KN
 Locking Cable Angle: 3°~ 8°
 Suspension Mechanism Front Beam Overhang: 1.3 ~ 1.5m ±0.26
 Package: Pallet or Naked by Containers

Specification

Property Model No.	ZLP630	ZLP800	ZLP1000
Rated load(kg)	630	800	1000
Lifting speed(m/min)	9 11	8 10	8~10
Motor power(kw)	2×1.5 50HZ/60HZ	2×1.8 50HZ/60HZ	2×2.2
Brake torque(Km)	16	16	16
Steel rope angle adjusting range(°)	3°- 8°	3°- 8°	3°- 8°
Rated stretch of front beam(mm)	1500	1500	1500
Platform material	steel	steel	steel
Platform length	6m	7.5m	7.5m
Weight(kg)	375 Kg	410 Kg	455kg
Suspended mechanism(kg)	2×175 Kg	2×175 Kg	2×175 Kg
Counterweight(kg) optional	25×36pcs	25×40pcs	25×44pcs
Diameter of steel rope(mm)	8.3	8.6	9.1
Max Lifting height(m)	300	300	300
Normal lifting height(m)	100	100	100

Applications

1. Cleaning and maintaining of the exterior wall of high-rise building.
2. Painting, decoration and refurbishing of exterior walls.
3. Installation projects and other construction working of outer walls of high-rise building.
4. Aerial working of ship, large tower, bridge, dams and large chimneys.
5. Install and maintain for high-rise building elevator hoistway, shipbuilding industry, seagoing vessel, warships welding maintain.

Features

1. Our suspended working platform can be widely used parapet and complicated building in different height. And we can also supply customized platform to meet different requirements from customers.
2. Suspension power Working Platform is a temporary, flexible high access equipment for maintenance and construction work. distinguished from permanent access equipment. It can be disassembled conveniently.
3. It compared with traditional scaffolding, can save labours and time to maintain the high buildings, such as industry workshop, water tower, bridge, TV tower, big chimney, cenotaph, dam, etc.
4. Besides, Suspension Working Platform can be used to lift specific weight.
5. Suspension Working Platform is a good helper for construction and decoration of high buildings.



Hoist Motor



Safety Lock



More products available:

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

□

SC Construction Man and Material Elevator

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

□

SS Building Material Lift / Hoist

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift





0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China