



## HYCM Tower Crane Quotation For QTZ3808 38m Working Jib Self Climbing Type

Our Product Introduction

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

### Basic Information

- Place of Origin: China
- Brand Name: HYCM TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: TC3808 Small Tower Crane
- Minimum Order Quantity: 1
- Price: \$26600-27700 per set
- Packaging Details: Naked packing, 3\*40'HQ containers.
- Delivery Time: within 20 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Self Climbing
- Max. Load: 3 T
- Working Jib: 38 M
- Tip. Load: 0.8 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.5\*1.5\*2.2 M
- Main Chord: 125\*10mm
- Foundation Type: Well-frame
- Highlight: QTZ3808 tower crane, 38m jib tower crane, self climbing tower crane



### More Images



## Product Description

### HYCM Tower Crane Quotation For QTZ3808 38m Working Jib Self Climbing Type

#### Main Technical Parameters

1. Model: QTZ35(TC3808) Topkit Tower Crane
2. Type: fixed and external climbing
3. jib length: 38m
4. tip load: 0.8t
5. max.laod: 3t
- 6.freestanding height: 29m

#### Specification

Model		QTZ31.5 (3808) Tower Crane
Type		Top kit / Cat Head
Working Radius (m)		38
Max. Load Capacity (T)		3
Tip Load (T)		0.8
Freestanding height (m)		29
Max. Height with anchorage (m)		800
Mast Section dimension (m)		1.5×1.5×2.5, angle steel 125×10mm
Hoisting Mechanism	Speed (m/min)	(a=2) 46/23/5
	Motor power (kw)	15
Slewing Mechanism	Speed (r/min)	0.76/0.38
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	24.6/16.5
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.5
	Motor power (kw)	3
Total Power (kw)		23.5
Power Supply		380V/50Hz or according to clients needs

#### Advantage

1. Export to more than 20 countries with CE/ ISO/ GOST Certifications by skilled sales team.
2. Mobile and internal climbing type tower cranes are also offering as new designed mast sections.
3. High Quality control: blasting and rust protection painting with advanced painting process. Strict and experience welding line.
4. Well known Mechanisms system and Schneider Electronic control system.
5. Engineers are available to service machinery overseas within 12 months warranty from the B/L date.
6. One set free easy-worn spare parts are provided with per set tower cranes.

#### Photos



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China