

# Special Use Lifting Material And Mans Building Elevator SC500 500kg Load

# **Basic Information**

• Place of Origin: China

Brand Name: HYCM or XINGDAO

Certification: CE, ISO

Model Number: SC Building Hoist

• Minimum Order Quantity: 1 set

• Price: \$16000-33300 per set

Packaging Details: Naked packing, HQ containers.

• Delivery Time: 10 days after receiving the deposit or origin

LC

Payment Terms: Western Union, L/C, T/T

 County Ability: 40 sets new month.

• Supply Ability: 40 sets per month



# **Product Specification**

• Condition: 100% New

Application: Buildings And Other Construction Site

Type: Single CageLoad: 500kgMax. Height: 150-500m

• Rated Speed: 33m/min Or Others

Power supply: 380V/50Hz Or According To Client's

Requirements

Motor Power: 1\*13kw
 Cage Size: 1m
 Mast: 650mm



# More Images



#### **Product Description**

#### Special Use Lifting Material And Mans Building Elevator SC500 500kg Load

#### **Short Introduction**

1. SC50 Single Cage Constructoin Hoist

Rated laod: 500kg
 Max. height: 150-500m
 Speed: 33m/min or others
 Cage size: 1\*0.8\*2.2m

6. Use rack-and-pinion transmission technology.

7. CNC Plasma/Flame Cutting Machine 8. Mast Section Robot welding line

9. Impeller Blasting10. Baking painting11. Full set safety device12 Accepted customer's OEM

### **Specification**

Description	Specification
Lifting Capacity	500Kg
Cage Inner Size(W×L×H)	1×0.8×2.2m without cab
Maximum Lifting Height	500m
Running Speed	33m/min or others
Motor	1×13Kw
VFD	15Kw
Safety Device	SAJ 30-1.2
Mast Section	650×1508mm
Power Source	380V, 50/60Hz
Power transmission	Cable trolley or slide line assemble

#### **Main Characteristic**

- 1. The mast sections of construction hoist adopt welding robot to weld, reliable in price and elegant in appearance.
- 2. All the structures adopt reaming impeller blasting technology, the adhesion of surface painting is good.
- 3. The wall around cage can be fixed by Punched Aluminum plate, Punched zinc plate, steel wire mesh.
- 4. Professional manufacturer provide the transmission gear, high mechanical efficiency, extended service life, steady performance.
- 5. Overload protection, variety of limiter and mechanical chain device are reliable and complete, optimal safety device select SAJ30-1.2, which restrict the excessive downward movement of the cage and prevents cage falling accidents.
- 6. Variable-frequency construction elevator are safe, stead, comfort, start electricity is smaller then the working electricity and efficient.

# Its main products include

- 1.Builder's hoist/ building hoist: The Cabin & Cage, Mast Section, wall tie and all other parts, we can do OEM for customers, and we can make the proper solution according to customer building situation
- 2.Industrial lift: OEM as customer site situation or customer detailed requirement
- **3.Tower crane mini hoist**: OEM as customer's tower crane mast section and site situation.
- 4. Materials hoist: Supply safety and stable working performance materials hoist
- 5.Mast climber, Mast climbing platform: Semi-Automatic PET Bottle Blowing Machine Bottle Making Machine Bottle Moulding Machine.
- 6.Inlaid Loading platform for tower crane: hot sale and large load capacity, convenient and high efficient.
  7.Pulling type Loading platform for tower crane: Very huge function, pulling out or pulling in flexible, more safety







#### Advantage:

A. High-quality configuration

There is PLC system in the construction hoist without inverter. It keeps the hoist running smoothly when starting and breaking.

What's more, Schneider / Korean Brand / Chinese famous Brand inverter / VFD can be chosen for frequency hoist.

The mast section is welded by robot, there is rarely deformation, precise and nice appearance.

### B. High stability

The rack's raw material adopts 60# steel, and the general error within 0.3-0.4mm is more accurate than normal error.

The mast section stull/cross brace are changed to U-shape structure refers to the Alimak Hek technology, and they are more solid than domestic general types.



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China