



HYCM Tower Crane TC5010 5tons Load Schneider Electric Elements Factory Cost

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT ZHONGFAN OR OTHERS
- Certification: CE, ISO
- Model Number: HGY12 placing boom
- Minimum Order Quantity: 1
- Price: \$11500-25000 per set
- Packaging Details: Naked packing, 1*20'GP containers per set HGY12 placing boom
- Delivery Time: 15 days after receiving the deposit
- Payment Terms: TT, LC
- Supply Ability: 400 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Spider Mobile
- Working Boom: 11.6m
- Rotation Scope: 360
- Electric Elements: CHNT Or Schneider
- Power supply: 380V/50Hz Or According To Client's Requirements
- System Pressure: 20 MPa
- Color: Yellow Or According To Clients Needs
- Control System: Normal One
- Highlight: **HYCM Tower Crane 5tons load,
TC5010 Tower Crane Schneider Electric,
Topkit Tower Crane factory cost**

for more products please visit us on hycmtowercrane.com

Product Description

HYCM Tower Crane TC5010 5tons Load Schneider Electric Elements Factory Cost

Short Parameter

1. Double slewing QTZ50(TC5010) Topkit Tower Crane
2. Type: fixed and external climbing
3. jib length: 50m
4. tip load: 1.0t
5. max.laod: 5t
- 6.freestanding height:30m

Service

- a. Rapid response to any inquiry(within 3 hours) and 24 hours on-line service.
- b. Competitive price which directly work with facotry. Welcome to visit us.
- c. Professional inspection department to guarantee quality.
- d. Engineers will go to construction site for guiding the installation and test-running for first time.
- e. Easy-worn Spare parts is free supplied along with the tower crane.
- f. 12 months super long time guarantee period.

Specification

Model		QTZ50 (TC5010) Tower Crane
Type		Fixed and external climbing type
Working Radius (m)		50
Max. Load Capacity (T)		5
Tip Load (T)		1.0
Freestanding height (m)		30
Max. Height with anchorage (m)		120
Mast Section dimension (m)		1.6×1.6×2.5, Square 135×10mm
Hoisting Mechanism	Speed (m/min)	(a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5
	Motor power (kw)	15/15/4
Slewing Mechanism	Speed (r/min)	0.70/0.35
	Motor power (kw)	3.7*2
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)		24.9
Power Supply		380V/50Hz or according to clients needs

Safety Features

1. Overload protection:If the material is over the capacity, the crane will give a sharp warning for protection itself
2. Emergency brake: If the operation staff encounter some emergency situation, we could start the emergency brake system to protection the related treasure.
3. Control Method: Room control or remote control to avoid any injure to the operation staff
4. Main lifting motor: with thermal protection and currency protection

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information,specific model and price of products will be provided quickly after receiving inquiry.

Other types tower cranes, topless and luffing type are also available, besides, we accept OEM according to clients needs.

Loading Containers Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China