

2t SJG2-2 Fixed Lift Table Platform Hydraulic type with CE certification

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

100% New • Condition: • Application: Hotels, Garment Shops, Building Material Shops, Machinery Repair Shops Stationary • Type: • Load: 2t 2m • Platform Height: 380v /50Hz Or Others • Power: • Motor Power: 3kw • Platform Material: High Strength Steel Color: Blue, Yellow Or Others

Hydraulic

China

ISO,CE

7-10 days

HYCM or others

SJG Scissor Lift Platform

Western Union, L/C, T/T

100 sets per month

Plywood package, LCL or 20'GP, 40'HC

construction for scissor lift platform

\$3500-4000 per set

Lift Drive:



More Images





2t SJG2-2 Fixed Lift Table Platform Hydraulic type with CE certification

General Introduction of this stationary scissor lift platform

- 1. Model SJG2-2
- 2. Load capacity: 2t
- 3. Platform size: 2400*1800mm or others
- 4. Lifting height: 2m
- 5. Height(close):550mm
- 6. Control apparatus:Control box + control panel
- 7. Pump station: 3kw,380v/3 phase(or according to your local voltage)
- 8. Hydraulic cylinder: Φ90mm*2, with locking device for fall protection.
- 9. Hydraulic Pipe: high pressure pipe with double expanded metal protected.

10. Obturating ring: Brand Valqua Seal ring

Other Model Specification of this stationary scissor lift platform

Model	Load capacity(Kg)	Platform size(mm)	Lifting height(mm)
SJG0.5-3.0	500	1500*1500	3000
SJG1.0-3.5	1000	1500*2000	3500
SJG3.0-5.0	3000	2500*3000	5000
SJG5.0-10.0	5000	3000*5000	10000

How to get the quotation if all the model is not suitable for you? Please let me know:

Load capacity, Lifting height, Platform size or other special request.

Control method of this stationary scissor lift platform

Control box with "UP""DOWN""STOP " button, You can control the lift up and down both on the platform and on the ground, just need press stop button, it can stop at any point.

Safety of this stationary scissor lift platform

1. The platform equipped with anti-skid plate to prevent slipping, it is enough safe when it works.

2. The work table would equipped the guardrail to guarantee the safety.

3. The lift has hydraulic overload protective organization to ensure that equipment will not lift when the load beyond its rated load capacity.

4. The machine equipped single control solenoid valves to prevent the platform dropping if power failure. You can open the manual dropped valve to lower the platform to the home position.

Service

1.Delivery time

Within 7-15 working days after we receive the order.

2. Payment terms

T/T, L/C, Western Union, PayPal, other kinds, pls contact with us.

3. MOQ

Generally speaking, the MOQ is 1 set

4.Warranty

We assure reply the email within 24 hours.

We assure 12 mouth quality warranty time.

During the warranty period we guarantee to supply free replacement parts to any defective of our product



More products available: Tower Cranes

---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.

- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m
SS Building Material Lift / Hoist Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform

---Most popular model ZLP630, ZLP800: 630KG AND 800KG

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

O086-18254159408 🖸 emma1109@foxmail.com

bycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China