



4000KG 2227 Self Erecting Tower Crane 27m Jib 22m Height for Construction

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM AVITT or OEM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: 2227 Self Erecting Tower Cranes
- Minimum Order Quantity: 1 set
- Price: \$56000-65000 per set
- Packaging Details: Naked packing, 1*40'HQ containers.
- Delivery Time: 30 days after receiving the deposit
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 40 sets per month





Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Self Erection Mobile
- Max. Load: 4000kg
- Jib Length: 27m
- Freestanding Height: 22m
- Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- After Sale Service: Engineers Available To Service Overseas
- Color: Yellow Or According To Clients Need



More Images



Product Description

4000KG 2227 Self Erecting Tower Crane 27m Jib 22m Height for Construction

Short Parameters:

1. YT2227 Self Erecting Tower Crane
2. Type: mobile and self-erection
3. jib length: 27m
4. max.load: 4t
- 5.height: 22m

Description

The self erecting tower crane as a whole transport, quickly set up the vertical, horizontal transport machinery.

Mainly suitable for 1 to 5 layers civil construction buildings.

In addition, it can also be used all kinds of factories, garages, stations, terminals, etc. of cargo handling and stacking, and also serves as liquidity lifting transport machinery.

Specifications

Specification		Unit	YT2227-40
Max. height		m	22
Max.load		t	4
Working range		m	6-27
Hoisting parameters	Max.hoisting height	m	25
	Max.working radius	m	27
	Max.hoisting weight	Kg	2000
	Hoisting speed	m/min	13/26
	Trolleying speed	m/min	20/40
	Slewing speed	r/min	0.25/0.8
	Erecting time	min	10
	Outrigger span	m	4.2x4.2
Dead weight		Kg	32000
Travel parameters	Max.towing speed	Km/h	15
Hydraulic system	Hydraulic system	Mpa	28
Power supply	Rated Power	Kw	23.1

Advantages of self erecting tower crane:

- 1.Without foundation, saving construction cost, low requirement for site conditions.
 - 2.Erecting and starting rapidly.
 - 3.None working on the high level during erecting and dismounting.
 - 4.Mast locked automatically, jib sections connected automatically in the air.
 - 5.No require professional operator,operating simply, mastering easily.
 - 6.Wireless remote operating,reducing working labor strength,having wide operating view.
- Transporting wholly.

Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system
7. Various safety devices

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China