

# Cheap Suspended Platform Cradle Parapet Clamp Painting or Galavanized type

### **Basic Information**

• Place of Origin: China

Brand Name: HYCM AVITT or others

• Certification: ISO,CE

Model Number: ZLP Construction Cradles Gondolas

• Minimum Order Quantity: 1 set

• Price: \$160-900 per set

• Packaging Details: Pallet per set. LCL or 20'GP, 40'HC

construction

• Delivery Time: 7-10 days

Payment Terms: Western Union, L/C, T/T
Supply Ability: 1000 sets per month



# **Product Specification**

• Condition: 100% New

For: ZLP Uspended GondolaType: Painting Or Galavanized

Material: Q235B SteelWire Rope: 8.3mm

• Highlight: Spare Parts For Suspended Platform,

Suspended Platform Parts, Suspended Platform Accessories



# More Images





#### Cheap Suspended Platform Cradle Parapet Clamp Painting or Galavanized type

#### Introduction:

Pure hot galvanized construction basket Riding the wall frame design is reasonable simple structure, easy to use, simple operation, suitable for different degrees of parapet and narrow space construction I plant this production of pure hot galvanized construction basket roulette wall pure hot galvanized treatment, anti-corrosion, high temperature, long service life.

Specification for ZLP Suspended Platform

Model	ZLP250	ZLP500	ZLP630	ZLP800	ZLP1000
Rated load	250kg	500Kg	630Kg	800Kg	1000Kg
Lifting speed	12m/min	8-10m/min	8-10m/min	8-10m/min	8-10m/min
Platform Dimension L×W×H(mm)	500	5000(2+3m) ×690×1180	6000(1+2+3m) ×690×1180	7500(2.5m*3) ×690×1180	7500(2.5m* 3) ×690×1180
Lifting Height	30 m	100 m	100 m	100 m	100m
Cable	30 m	100 m	100 m	100 m	100m
Steel rope	Ф8.3mm	Ф8.3mm	Ф8.3mm	Ф9.1mm	Ф8.6mm
Hoist Power	1.5KW	1.5KW*2	1.5KW*2	1.8KW*2	2.2 KW*2
Safety lock Force	30KN	30KN	30KN	30KN	30KN
Suspension mechanism Of Front beam overhang	/	1.3~1.5m	1.3~1.5m	1.3~1.5m	1.3~1.5m
Self weight	48KG	770KG	810kg	870kg	900KG
Power Supply	220V/50Hz, 2P, 380V/50Hz, 3P or clients request				

#### **Applications**

- 1. Cleaning and maintaining of the exterior wall of high-rise building.
- 2. Painting, decoration and refurbishing of exterior walls.
- 3. Installation projects and other construction working of outer walls of high-rise building.
- 4. Aerial working of ship, large tower, bridge, dams and large chimneys.
- 5. Install and maintain for high-rise building elevator hoistway, shipbuilding industry, seagoing vessel, warships welding maintain.

#### **Features**

- 1.Our suspended working platform can be widely used parapet and complicated building in different height. And we can also supply customized platform to meet different requirements from customers.
- 2. Suspension power Working Platform is a temporary, flexible high access equipment for maintenance and construction work. distinguished from permanent access equipment. It can be disassembled conveniently.
- 3. It compared with traditional scaffolding, can save labours and time to maintain the high buildings, such as industry workshop, water tower, bridge, TV tower, big chimney, cenotaph, dam,etc.
- 4. Besides, Suspension Working Platform can be used to lift specific weight.
- 5. Suspension Working Platform is a good helper for construction and decoration of high buildings.



## More products available:

#### **Tower Cranes**

- ---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

#### SC Construction Man and Material Elevator


----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity,

SS Building Material Lift / Hoist ----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



**SJY Scissor Lift** 







0086-18254159408

emma1109@foxmail.com



hycmtowercrane.com