

LST30 Safety Lock of ZLP630 Suspended Platform Spare Parts Stainless Steel

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10 sets
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Condition:
- For:
- Type:
- Color:
- 100% New ZLP630 Suspended Platform Stainless Steel Silver

China Mainlad

AVITT or others

\$15-30 per square meter

Western Union, L/C, T/T

40000sets per month

Customer's company Logo mark can be designed and added, Packed in cartons

ISO

LST30

7-30 days



Our Product Introduction

LST30 Safety Lock of ZLP630 Suspended Platform Spare Parts Stainless Steel

Introduction

Application:Building Construction Material: Galvanized Color: Silver Surface treatment: Galvanzied Keyword:Window Cleaning Suspended Platform Feature:Facade Lift Usage: ZLP800 ZLP1000 Suspended Platform Selling Units::Single item Single package size: 50X50X50 cm Single gross weight: 20.000 kg

LST30 Safety Lock is the protection equipment for ZLP Suspended Platform. When the platform goes acclivity, or ropes are broken off and falling, the safety locks will lock the wire ropes automatically and quickly to ensure the safety of the operator from falling and inclining.

quickly to ensure the salety	of the operator from failing and inclining.
Product Name	Suspended Platform spare parts safety lock
Model Number	LST30
angle	3-8 degree
Allowable max impact force 20KN	
Rope locking cable distance	≤100mm
Diameter of steel wire rope	8.3-8.6mm
emma1109@foxmail.com	emma1109@foxmail.com emma1109@foxmai



More products available: Construction Machinery Tower Cranes

---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.

- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.

---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist

----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.





Small Jib Crane



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China