

Electric Cabin of ZLP Suspended Platform Spare Parts with ZHENGTAI CHINT Contactors

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Condition:
- For:
- Contactors:
- Surface:
- Highlight:
- 100% New ZLP Suspended Platform

China Mainlad AVITT or others

\$66-200 per set

Galvanized electric box

Western Union, L/C, T/T

25000 sets per Month

Carton per set. LCL or 20'GP, 40'HC

ISO,CE

1 Set

container

7-15 days

ZHENGTAI CHINT

- Sliver
 - Spare Parts For Suspended Platform, Suspended Platform Parts, Suspended Platform Accessories



Our Product Introduction

Electric Cabin of ZLP Suspended Platform Spare Parts with ZHENGTAI CHINT Contactors

Specification

Product Name	Control Box	
Rated Voltage	220v/380v/400v/415v/440V	
Rated Frequency	50Hz	
Rated Current	32A	
Allowable Value of Electrical Clearance	≥10mm	
Rated Diversity Factor	0.8	
Outer Shell Material	metal	
Max Weight	120kg	
MOQ	1set	

To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

FAQ

Q:Can I get samples before order ? A:Yes, of course. Usually our samples are free, we can produce by your samples or technical drawings.

Q:Can I go to your factory to visit? A:Of course, we welcome customers from all over the world to visit our factory.

Q:How can I get a quotation from you ? A:You can leave us message, and we will reply every message in time. Or we may talk on line.

Q:What product information do I need to provide? A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:Does the product have quality inspection before loading? A:Of course, all our products are strictly tested for quality before packaging, and unqualified products will be destroyed.we accept the third party inspection absolutely.

Specifications For ZLP Suspended Platform				
	ZLP500		ZLP800	
Rated Load	500kg	630kg	800kg	
Lifting speed	9.3m/min	9.3m/min	9.3m/min	
Lifting height	100m	100m	100m	
Hoist	LTD5.0	LTD6.3	LTD8.0	
Voltage-3 Phase	380V(415V/220V)	380V(415V/220V)	380V(415V/220V)	
Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz	
Motor Power	1.5kwx2	1.5kwx2	1.8kwx2	
Safety Lock	LSG30	LSG30	LSG30	
Electric Control Cabinet Components	Schneider or CHNT	Schneider or CHNT	Schneider or CHNT	
Platform Size (LxWxH)	(2.5+2.5)x0.69x1.42m	(2+2+2)x0.69x1.42m	(2.5+2.5+2.5)x0.69x1.4 5m	
Steel Wire Rope	4pcsx100m 4x31SW+FC D=8.3mm		4pcsx100m 4x31SW+FC D=8.6mm	
Special Cable	(3x2.0+2x1.0mm2) 100m	(3x2.0+2x1.0mm2) 100m	(3x2.5+2x1.5mm2) 100m	
Suspended Jibs	340kg	340kg	340kg	
	410kg(Steel) 290kg(Aluminum)	480kg(Steel) 340kg(Aluminum)	530kg(Steel) 380kg(Aluminum)	
Counter Weight	750kg	100kg	1000kg	
Qty of 20" Container	10 sets	9sets	8sets	



More products available: Construction Machinery **Tower Cranes**

---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.

---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t. ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.

---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist

----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.





Small Jib Crane



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China