

# 300kg to 1000kg Hydraulic Table Lift Platform Vertical Platform Lift Cargo 3m height

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

# **Product Specification**

- Condition:
- Application:

• Working Height:

• Type:

Load:

• Power:

Buildings And Material Lift One Patfomr 300kg-1000kg

100% New

China

CE, ISO

1 set

LC

HYCM, Avit or other

\$3000-9000 per set

Western Union, L/C, T/T

40 sets per month

Hydraulic Table Lift Platform

Wooden or Pallet for LCL Containers

10 days after receiving the deposit or origin

- Platfrm Thick:
- Motor Brand:
- Rail:
- 3m Or Others 380V/50Hz, 220V/60Hz Or Others 3mm Thickness Xingxiang, Sanshang, Juli Or Other H Steel



# More Images



Our Product Introduction

### 300kg to 1000kg Hydraulic Table Lift Platform Vertical Platform Lift Cargo 3m height

#### Parameter

Cargo Lift is made of high-strength materials, with large bearing capacity and long service life. The countertop is made of highquality patterned steel plate with good anti-slip effect.

Adopt advanced PLC system control, simple and reliable operation, low failure rate.

It can be customized according to the specific space, with strong installation adaptability and convenient maintenance. Our freight elevators are economical and practical, help you improve work efficiency, save labor costs and construction budgets, and create the greatest value for your investment.

#### Specification

Model	Lifting capacity	Lifting height	Platform size	Self height
SJD1-1.5	1000kg	1.5M	2106*1830MM	1900KG
SJD2.5-2	2500kg	2M	2106*1200MM	1980KG
SJD3-2.5	3000kg	3M	1106*940MM	1060KG
SJD3.5-3	3500kg	3M	1506*940MM	1150KG
SJD4-5	4000kg	4M	130681230MM	1360KG
SJD5-5	5000kg	5M	2601*1230MM	1450KG
SJD5.5-6	5500kg	5.5M	2550*1530MM	2260KG

#### Safety device:

1- Spillover valve, it can prevent high pressure when the machine moves up.

2- Manual emergency valve, it can go down to the nearest floor and open the door when you meet an emergency.

3- Pipe fracture valve, when the hydraulic system pipe fracture, it can cut down the channel of the oil to stop the falling.

4- Temperature protection, when the temperature of the hydraulic oil is substandard, the machine will stop working until the temperature reverts to the safe standard.

#### 1, who are we?

We are based in Shandong, China, start from 2011, sell to Southeast Asia(65.00%), Domestic Market(10.00%), Mid East(7.00%), South Asia(3.00%), Africa(2.00%), South America(2.00%), Western Europe(2.00%), Eastern Europe(2.00%), Oceania(2.00%), Eastern Asia(1.00%), Northern Europe(1.00%), Central America(1.00%), North America(1.00%), Southern Europe(1.00%).

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3. what can you buy from us?

Overhead Crane, Gantry Crane, Jib Crane, Electric Hoist, Cargo lift, Scissor Lift etc

- 4. why should you buy from us not from other suppliers?
- 1. Rich Experience in crane manufacturing, overseas installation and test running.
- 2. High Efficient and Satisfying online and after-sales Service
- 3. Safe and Detail-oriented Package
- 4. Powerful Design based on customer's requirements

5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,CIP,DDP,DDU,Express Delivery Accepted Payment Currency: USD, EUR, CNY; Accepted Payment Type: T/T,L/C,D/P D/A,Western Union,Cash,Escrow;

Language Spoken: English, Chinese, Franch

#### FAQ

Q1: Are you trading company or factory?

A1: Dear friend, we are the integration of factory and trading, we have our own

sale-production-quality-test-documention-delivery-after sale system.

- Q2: Can you customize the product?
- A2: Dear friend, our hydraulic lift can be customized according to lifting, load capacity, platform size, electric power, color etc.
- Q3: How about the delivery time?
- A3: Dear friend, 7-15 days from received deposit. If you need urgently, please let us know.
- Q4: How about the after sale service?
- A4: Dear friend, we promise 1 or 2 years warranty and life-time technical support. We have a strong after-sales service team, the technical department will provide online after-sales service. If necessary could provide video guidance.
- Q5:What can I get from cooperating with us?
- A5: 1 Unique products, with customized service.
- 2 Timely production and delivery, time is money.
- 3 Detailed product/installation/maintenance/instruction, easier installation.
- 4 24/7 technical support available, 6 hours response time at night, 10mins in the day.

If you are interested in the cargo lift, welcome to contact us:

- 1- Lift height? (M)
- 2- Load capacity(Kg)
- 3- Platform size(mm)
- 4- Local voltage: 380V/50HZ/3P or others?

Our Product Introduction

Model <sup>1109</sup> 200xmail.com	Vertical travel	Capacity a 1109 proximall.	Platform size
SJD0 3-4,54159408	4,5m	300kg <sub>086 18254159408</sub>	1000×800 18254159408
SJD1.0-4.5 @foxmail.com	4.5m1109@foxmail.		
SJD2.0-4.5	4.5m	2000kg	1500×1500
SJD3.0-4.5	4.5m	3000kg	2000×1000
SJD0.3-7.5	7.5m	300kg	2000×1200
SJD0.5-7.51159408	7:5m 8254159408	500kg086 18254159408	1000×10008254159408
SJD1.0-7.5	7.5m1109@foxmall.	cc 1000kg ma1109@foxmail.	1200×1200 109@foxmail
SJD2.0-7,5	7.5m 8254159408	2000kg86 18254159408	1800×1400
SJD3.0-7.5 @foxmail.com	7.5m1109@foxmail	cc 3000kg ma1109@foxmail.	
SJD1.0-10.5	10.5m	1000kg	2000×1600
SJD1 0-14	14m	1000kg	1800×1400
SJD3.0-4.5	4.5m	3000kg	1800×1500
Others18254159408	Customized 9408	customized8254159408	customized8254159408

- Complete certificate
- Worry-free after-sales
- Quality assurance

Platform Size

2-20M<sup>2</sup>

500-10000KG

1-30M

Lifting Height

More products available: Construction Machinery Tower Cranes

- ---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

### SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

### SS Building Material Lift / Hoist


----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



Gantry Crane



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China