

## OEM Low Building 300kg to 2000kg Indoor Material Lift Platform Hydraulic Type

### **Basic Information**

Place of Origin: China

Brand Name: HYCM, Avit or other

Certification: CE, ISO

Model Number: Hydraulic Table Lift Platform


• Minimum Order Quantity: 1 set

• Price: \$3000-9000 per set

Packaging Details: Wooden or Pallet for LCL Containers
 Delivery Time: 10 days after receiving the deposit or origin

LC

Payment Terms: Western Union, L/C, T/T
Supply Ability: 40 sets per month



## **Product Specification**

• Condition: 100% New

Application: Buildings And Material Lift

Type: One PatfomrLoad: 300kg-1000kgWorking Height: 3m Or Others

• Power: 380V/50Hz, 220V/60Hz Or Others

Platfrm Thick: 3mm Thickness

Motor Brand: Xingxiang, Sanshang, Juli Or Other

• Rail: H Steel



## More Images



#### **Product Description**

#### OEM Low Building 300kg to 2000kg Indoor Material Lift Platform Hydraulic Type

#### **Parameter**

Cargo Lift is made of high-strength materials, with large bearing capacity and long service life. The countertop is made of high-quality patterned steel plate with good anti-slip effect.

Adopt advanced PLC system control, simple and reliable operation, low failure rate.

It can be customized according to the specific space, with strong installation adaptability and convenient maintenance. Our freight elevators are economical and practical, help you improve work efficiency, save labor costs and construction budgets, and create the greatest value for your investment.

#### Specification

Model	Lifting capacity	Lifting height	Platform size	Self height
SJD1-1.5	1000kg	1.5M	2106*1830MM	1900KG
SJD2.5-2	2500kg	2M	2106*1200MM	1980KG
SJD3-2.5	3000kg	3M	1106*940MM	1060KG
SJD3.5-3	3500kg	3M	1506*940MM	1150KG
SJD4-5	4000kg	4M	130681230MM	1360KG
SJD5-5	5000kg	5M	2601*1230MM	1450KG
SJD5.5-6	5500kg	5.5M	2550*1530MM	2260KG

#### Safety device:

- 1- Spillover valve, it can prevent high pressure when the machine moves up.
- 2- Manual emergency valve, it can go down to the nearest floor and open the door when you meet an emergency.
- 3- Pipe fracture valve, when the hydraulic system pipe fracture, it can cut down the channel of the oil to stop the falling.
- 4- Temperature protection, when the temperature of the hydraulic oil is substandard, the machine will stop working until the temperature reverts to the safe standard.
- 1. who are we?

We are based in Shandong, China, start from 2011, sell to Southeast Asia(65.00%), Domestic Market(10.00%), Mid East(7.00%), South Asia(3.00%), Africa(2.00%), South America(2.00%), Western Europe(2.00%), Eastern Europe(2.00%), Oceania(2.00%), Eastern Asia(1.00%), Northern Europe(1.00%), Central America(1.00%), North America(1.00%), Southern Europe(1.00%).

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3. what can you buy from us?

Overhead Crane, Gantry Crane, Jib Crane, Electric Hoist, Cargo lift, Scissor Lift etc

- 4. why should you buy from us not from other suppliers?
- 1. Rich Experience in crane manufacturing, overseas installation and test running.
- 2. High Efficient and Satisfying online and after-sales Service
- 3. Safe and Detail-oriented Package
- 4. Powerful Design based on customer's requirements
- 5. what services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, CIP, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T,L/C,D/P D/A,Western Union,Cash,Escrow;

Language Spoken: English, Chinese, Franch

#### FAQ

Q1: Are you trading company or factory?

A1: Dear friend, we are the integration of factory and trading, we have our own

sale-production-quality-test-documention-delivery-after sale system.

Q2: Can you customize the product?

A2: Dear friend, our hydraulic lift can be customized according to lifting, load capacity, platform size, electric power, color etc.

Q3: How about the delivery time?

A3: Dear friend, 7-15 days from received deposit. If you need urgently, please let us know.

Q4: How about the after sale service?

A4: Dear friend, we promise 1 or 2 years warranty and life-time technical support. We have a strong after-sales service team, the technical department will provide online after-sales service. If necessary could provide video guidance.

Q5:What can I get from cooperating with us?

A5: 1 Unique products, with customized service.

2 Timely production and delivery, time is money.

 ${\tt 3\ Detailed\ product/installation/maintenance/instruction,\ easier\ installation.}$ 

4 24/7 technical support available, 6 hours response time at night, 10mins in the day.

If you are interested in the cargo lift, welcome to contact us:

- 1- Lift height? (M)
- 2- Load capacity(Kg)
- 3- Platform size(mm)
- 4- Local voltage: 380V/50HZ/3P or others?

#### **Picture**

Model 110 agricxman.com	Vertical travel	Capacity a 1109 poloximality	Platform size
SJD0.3-4,5 <sub>4159408</sub>	4.5m <sub>8254159408</sub>	300kg <sub>088 18254159408</sub>	1000×800 <sub>18254159408</sub>
SJD1.0-4.5 @foxmail.com	4.5m1109@foxmail.		cc 1500×1000 109@foxmail
SJD2.0-4.5	4.5m	2000kg	1500×1500
SJD3.0-4.5	4.5m	3000kg	2000×1000
SJD0.3-7.5	7.5m	300kg	2000×1200
SJD0.5-7.51159408	7:5m 8254159408	500kg086 18254159408	1000×10008254159408
SJD1.0-7.5 Salexmail.com	7.5m <sup>1109</sup> @foxmail.	1000kg ma1109@foxmail.	1200×1200 109@foxmail
SJD2.0-7,5	7.5m <sub>8254159408</sub>	2000kg <sub>86 18254159408</sub>	1800×1400 <sub>8254159408</sub>
SJD3.0-7.5 @foxmail.com	7,5m1109@foxmail.	co 3000kg ma 1 109@foxmail.	00 2000×1500 109@foxmail
SJD1.0-10.5	10.5m	1000kg	2000×1600
SJD1.0-14	14m	1000kg	1800×1400
SJD3.0-4.5	4.5m	3000kg	1800×1500
Others 8254 159408	Customized 9408	customized8254159408	customized3254159408



# More products available: Construction Machinery Tower Cranes

- ---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

#### SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

#### SS Building Material Lift / Hoist

----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



**Gantry Crane** 





0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com