

12t Horizontal Jib Crane Tower With Telescopic Jacking Cage Hydraulic Climbing

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time: 30 days after receiving the deposit or origin
- Payment Terms:
- Supply Ability:



Product Specification

Condition:	100% New
 Application: 	Buildings And Projects
• Type:	Fixed With Tower Head
• Max. Load:	12 T
 Jib Length: 	70 M
• Tip. Load:	2.5 T
 Mast section: 	2*2*3 M (Potain Type)
Electric Box:	Schneider Contactors
Power Supply:	380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
 Control Type: 	Inverter Or VFD

China

1

LC

TT, LC

AVITT or others

CE, ISO, GOST, CU-TR

\$153900-172600 per set

Headless tower crane

5 sets per month

PT7025 Headless Tower Crane

Naked packing, 9*40 HC containers for



Our Product Introduction

12t Horizontal Jib Crane Tower With Telescopic Jacking Cage Hydraulic Climbing

Performance

- Max. jib length: 70m;
- Max. lifting capacity 12t;
- Max. hoisting capacity at jib tip:2.5t;
- Rated lifting moment: 2500 Kn.m;
- Max. freestanding height: 60m; Max. working height of anchored crane: 180m;

Specification

opeenieuten	
2500	
12	
12	
70	
3 to 70	
2.5	
180	
50-60	
500	
0-0.6	
0-60	
0.4	
380V/50Hz or according to client's requirements	
61.5	
Schneider contactors	
200*20 / angle steel	
2*2*3 (split type)	

The eight advantages

1.reduce the dismounting requirements, lower weight, low mounting height, dismount each mast at a time in the air, save the labor cost, safety and fast.

2. it is suitable for crossover work of the cranes, without the tower cap and pull rod, the safety will be increased when there need the crossover work.

3. It is suitable for the special requirement about the height, such as airport nearby, tunnel, workshop ,and the construction site with high-tension cable.

4. It is suitable for the construction site that has the requirement about the crane boom, it can be used as internal climbing crane in the high-rise buildings, irregular roof or small areas.

5. It is very convenient for dismounting in the restricted construction site, dismount each crane boom at a time by manual. 6. The steel structure of crane boom has long using life and high safety standard.

7. The crane boom is good applicability, high-usage, the design of the topless tower crane boom is easy for realizing the serialization and standardization. Reduce the design and making cost.

8. Low design cost, short cycle, can much better satisfy the multiple demands of the customers.

Advantage of Fixed Tower Crane

- 1. 15 years of experience in supplying new tower cranes.
- 2. Export to more than 20 countries with CE/ISO/GOST/CU-TR Certificates.
- 3. Mobile and internal climbing type tower cranes are also available.
- 4. Impeller blasting and rust protection painting with advanced painting process.
- 5. Strict and experience welding line
- 6. New designed mast, can be used to Internal and external climbing tower crane
- 7. Well known brand mechanism system, Schneider Electronic control system, Jjiangte or Jiuhe motor
- 8. Engineers available to service machinery overseas.
- 9. For warranty: 12 months from the B/L date.

Why choose us

- 1. A professional tower crane supplier in China with 15 years experience
- 2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
- 3. Hydraulic self-climbing mechanism
- 4. Variable-frequency slewing mechanism
- 5. Varialbe-speed frequency PLC control System
- 6. Operation data display screen and Safety monitoring system (Black Box)
- 7. Various safety devices

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

S 0086-18254159408

emma1109@foxmail.com

bycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China