

# Chain Hoist HSY type 500kg to 35tons Single or Double Chain for Cranes

### **Basic Information**

Place of Origin: China Mainlad

• Brand Name: Avitt or Hugong others

Certification: CE, ISOModel Number: small cranes

• Minimum Order Quantity: 1 set

• Price: \$500-13460 per set

Packaging Details: Wonden box for LCL containers

• Delivery Time: 10-15 days after receiving the deposit or

origin LC

Payment Terms: Western Union, L/C, T/TSupply Ability: 100 sets per month



## **Product Specification**

• Condition: 100% New


Application: Cranes And Construcion

Type: Fixed Or MobileMax. Load: 500kg-35t

• Power supply: 220V Or 380V/50Hz Or According To Client's

Requirements

Color: Yellow, Red Or According To Clients Needs



## More Images



#### Chain Hoist HSY type 500kg to 35tons Single or Double Chain for Cranes

#### **Introduction of Hot Sale Electric Chain Hoist**

- 1. With suspension hook, push, geared or electric trolley.
- 2. Standard lift height 3-9m, operating voltage 220-440V, 50/60Hz, 1-3phase.
- 3. Low voltage control 24V or 36V is standard.
- 4. High efficient energy-saving motor, asbestos free brake system.
- 5. Light weight, compact and solid body case.
- 6. Top and bottom hooks are fitted with safety latches as standard.
- 7. Drop forged steel suspension & load hooks are heat treated and fracture resistant. In case of dangerous overloading or abuse, the hook does not fracture but will slowly yield.
- 8. Strong chain bucket.
- 9. Super strong surface hardened chain.
- 10. Limit switch devices fitted at both top & bottom ends, switch off power automatically to prevent load chain from running out.

#### Specification

Model	Capaci	Lifting	Lifting	Lifting motor					I-beam
HSY	ty (ton)	Height (m)	Speed (m/min)	Power KW	Rotational Speed (r/min)	Phase	Voltage (V)	Frequency (Hz/s)	(mm)
1-1	1	3	6.8	1.5	1440	3	380/220	50/60	75-125
2-2	2	3	3.4	1.5	1440	3	380/220	50/60	75-125
2.5-1	2.5	3	5.6	3.0	1440	3	380/220	50/60	82-153
3-2	3	3	3.3	3.0	1440	3	380/220	50/60	82-153
5-2	5	3	2.8	3.0	1440	3	380/220	50/60	100-178



#### More products available: Construction Machinery Tower Cranes

- ---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- ---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- ---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- ---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

#### SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist ----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



**Gantry Crane** 





## Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China