



6515 10t QTZ160 Used Tower Crane with L46 3m Mast Sections use Less Containers Space

Our Product Introduction


Basic Information

- Place of Origin: China Mainland
- Brand Name: DAHAN
- Certification: ISO, CE, EAC
- Model Number: QTZ160 Used Tower Crane
- Minimum Order Quantity: 1 Set
- Price: \$58900-78900 per set
- Packaging Details: Flat truck or 40'HC containers for used tower crane transport
- Delivery Time: 10-15 days after receiving the deposit
- Payment Terms: Western Union, T/T, MoneyGram, Cash
- Supply Ability: 10sets per month



Product Specification

- Condition: Used With Good Working
- Application: Buildings And Construction Projects
- Type: Fixed With External Climbing
- Mast Sections: L46 3m
- Load: 10t
- Model: 6515



More Images



Product Description

6515 10t QTZ160 Used Tower Crane with L46 3m Mast Sections use Less Containers Space

Specification

MODEL: QTZ160 6515
BRAND: DAHAN
YEAR OF MADE: 2020-2023
JIB LENGTH: 65M
TIP LOAD: 1.5TON
MAXIMUM CAPACITY: 10TON
FREE STANDING HEIGHT: 47.3M
MAST SECTION: 2*2*3M L46

could offer foundation bolts and repainting them before delivery according to your requests.

Could check the mechanisms/motors are work well before loading

Could load containers or 17.5m flat trucks according to your use place

so just let's know your requirements or ideas

We will be your trust partner in China

Model		QTZ160 Used Tower Crane
Working Radius (m)		65
Max. Load Capacity (T)		10
Tip Load (T)		1.5
Free standing height (m)		47.3
Max. Height with anchorages (m)		150
Mast Section dimension (m)		1.6×1.6×3 L46
Hoisting Mechanism	Speed (m/min)	0-80 0-20
	Motor power (kw)	45
Slewing Mechanism	Speed (r/min)	0.6
	Motor power (kw)	2*5.5
Trolleying Mechanism	Speed (m/min)	0-58
	Motor power (kw)	4
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	7.5
Total Power (kw)		60
Power Supply		380V/50Hz, 3 Phase

Working principle

The tower crane is driven by an electric or hydraulic system to achieve the rise, fall and horizontal movement of the hook. The operator controls the movement of the tower crane through the control system to ensure the safe and efficient completion of the lifting task.

Application areas

Tower cranes are widely used in various places such as construction sites, ports, warehouses, etc. for lifting construction materials, equipment and goods. In the construction of high-rise buildings, tower cranes are indispensable lifting equipment that can achieve efficient vertical and horizontal lifting.



More New products available:

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform

- Most popular model ZLP630, ZLP800: 630KG AND 800KG



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China