



HYCM Brand Hot Derrick Crane Tower on top of Building Construction 3015 Model

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HYCM, AVITT TOWER CRANE
- Certification: CE, ISO
- Model Number: D3015 Derrick Crane
- Minimum Order Quantity: 1 set
- Price: \$39000-43000 per set
- Packaging Details: Naked packing, 1*40'HC containers per set
30m Jib Derrick Crane
- Delivery Time: 25 days after receiving the deposit or origin LC
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Small Lifting Bar
- Load: 4tons
- Height: 200mts
- Lift: 2tons
- Power supply: 380V/50Hz Or According To Client's Requirements
- After Sale Service: Engineers Available To Service Overseas
- Color: Yellow Or According To Clients Need



Product Description

HYCM Brand Hot Derrick Crane Tower on top of Building Construction 3015 Model

Description

1. The Derrick cranes is fixed to the roof.
2. The base is then attached to the slewing unit that allows the crane to sewing.
3. On top of the slewing unit there are two main parts which are: the long jib, shorter counter-jib,
4. The long jib is the part of the crane that carries the load.
5. The crane operator either sits in a cab at the top of the tower or controls the crane by radio remote control from the ground.
6. The lifting hook is operated by the crane operator using electric motors to manipulate wire rope cables through a system of sheaves.

Specification

| QD3015 Derrick Crane Specification | |
|------------------------------------|---------------------|
| Rated Lifting Moment | 600KN.m |
| Rated Loading Capacity | 4t |
| Max. Lifting Load | 4t |
| Tip Load | 1.5t |
| Max. Lifting Height | 200m |
| Jib length / Span | 30m |
| Working range | 3 to 30m |
| Slewing speed | 0-0.6r/min |
| Trolleying speed | 0-10 m/min |
| Luffing speed | A4=32/16/3.5 m/min |
| Power supply | 380V/50Hz or others |
| Electric switch box | Schneider |
| Slewing bearing model | 1220.32 |

Advantages of Derrick Crane

- Operations at great heights
- Adaptable universal machine for heavy loads
- Adaptable support base
- Compact component dimensions
- Rapid self-disassembly
- Maximum weight of individual transportation units

Service of of Derrick Crane

- a. Rapid response to any inquiries and 24 hours on-line service.
- b. Competitive price which directly from facotry. Welcome to visit us.
- c. Professional inspection department to guarantee quality.
- d. Engineers will go to construction site for guiding the installation and test-running for first time if clients needs.
- e. 12 months super long time guarantee warranty.

RAQ

1. Are you a manufacturer or a trading company?

We are as a professional manufacturer / factory since 2002 year for 15 years.

2. What is your advantage?

- 1) We are a manufacturer, so the price is more competitive than the trading company.
- 2) It is more effective to communicate with the factory, saving more time for you.
- 3) Timely after sales service
- 4) We also produce other construction machinery such as construction hoists, derrick cranes and ZLP Suspended Platform to meet your requirements.

3. How do you guarantee your product quality?

We have our professional testing department , and will test the machine all the progress, and will test it after finished and before delivery.

4. I plan to label our logo on your products, is that possible?

Sure it is ok. OEM is available for us. Just send your logo, brand name or picture to us.

5. How about the warranty period ?

The warranty will be one year from the date of shipment. Any detected parts during this period caused by the quality of products will be replaced by seller free of cost (exclude wear and tie parts), improper operation and other man made reasons are excluded.

Photo of of Derrick Crane



More products available: Construction Machinery

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

□

SC Construction Man and Material Elevator

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

□

SS Building Material Lift / Hoist

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



Gantry Crane



Double Beam Bridge Crane




Single Beam Bridge Crane



Half gantry crane



Double Girder gantry crane



- Our advantage**
1. Choose high-quality materials
 2. One-stop customized service
 3. Professional after-sales team



Rubber tyred gantry crane



Electric Hoist



Jib Crane



Electric Winch

Small Jib Crane



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China