



1000KG Load Person and Materials Lifter Mast Hoist with Wall tie and Mast section

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: Avitt, XMR, HYCM or XINGDAO
- Certification: CE, ISO
- Model Number: SC100 Construction Elevator
- Minimum Order Quantity: 1 set
- Price: \$17800-22800 per set
- Packaging Details: Naked packing, 1*40'Hc containers per set
SC100 Building Hoist
- Delivery Time: 15-25 days after receiving the deposit
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: SINGLE CAGE
- Load: 1000kg
- Speed: Normal Or Inverter Control
- Power supply: 380V/50Hz Or According To Client's Requirements
- Motor Power: 2*11 Kw Or Others
- Motor Brand: Shuangma, Taichang, Jinnuoi Or Other
- Mast Section Size: 650*650*1508mm



More Images



Product Description

1000KG Load Person and Materials Lifter Mast Hoist with Wall tie and Mast section

Simple parameter

Model: SC100 Single cage construction hoist
 Rated load: 1000kg (1ton)
 Rated passengers: 10
 Motor power: 2*11kw
 Rated lifting speed: 33 or 0-34 m/min
 Mast section size: 0.65*0.65*1.508m or 0.8*0.8*1.508m
 Cage size: 3.2*1.5*2.2m or according to clients needs
 Power supply: 380V/50Hz, 220V/60Hz or others
 Max. Lifting height: 250m
 With all standard accessories

Specification

Model	SC100 single cage construction hoist
Payload capacity	Up to 1000 kg
Speed (m/min)	33 or 0-33 or others
Max. lifting height	150-200 m (Increased lifting height on request.)
Cage width (internal)	1.3 m & 1.5 m
Cage length (internal)	3 m
Cage height (internal)	2.2 m
Motor control	Directly driven without inverter
Motor power	2x11 kw
Power supply range	380V, 50Hz or 60 Hz, 3 phase
Type of mast	650mm, Tubular steel with integrated rack
Length mast section	1.508 m
Weight mast section with 1 racks	127 kg

Parts

1. Driver Cabin

The driver cabin of our construction hoist is constructed from hot dip galvanized plates with surface powder spraying treatment which ensure superior corrosion resistance. It has fan that can improve driver's working environment.

2. Gear Train

The new back gear is lengthened by one time at the stationary bearing end where it is equipped with locating taper pin to improve stress state and avoid loosening of back gear that will affect gear backlash.

The parts such as bear gear, idler wheel, etc. that have influence on running stability are improved to enhance machining and manufacturing precision. All of them will experience thermal refining treatment and galvanizing treatment after that, thus showing excellent durability. Case door pulley and cable pulley are made from nylon material which can prolong their life time and effectively reduce noise.

Accept OEM type

Picture



More products available:

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

□

SS Building Material Lift / Hoist

----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.

ZLP Suspended Platform



高空作业吊篮

高空作业吊篮主要用于高层建筑的外墙施工、装修、洗和保养，也可用于大型罐体，烟囱，水坝，桥梁，架的施工

Suspended working platform is an ideal equipment for facade construction, decoration, cleaning and maintenance, and is also widely used in elevator installation, shipyard, big tank, bridge, embankment and chimney.



- 设计新颖、安装简单、操作方便 ·
- 结构紧凑、用料精良、使用寿命长 ·
- 承载能力强、传动效率高、准确便捷 ·
- 安全锁保护装置 ·
- 电控系统安全保护装置 ·
- 安全绳保护措施 ·
- 保证安全运行 ·

emma1109@foxmail.com
0086 18254159408

SJY Scissor Lift



emma1109@foxmail.com



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China