

3pcs 1 set of 50mm Manganese Steel Fish Plate for 3m Potain Mast Section

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Condition:
- Application:

• Type:

Color:

100% New Buildings And Projects Steel Structure Shot Blasting

China

ISO

Avitt, HYCM or others

\$40-200 per set

mast section fish plate

Western Union, L/C, T/T

10000 sets per month

Potain Tower Crane Mast Section

7 days after receiving the deposit

Naked packing, LCL containers per set of



More Images



3pcs 1 set of 50mm Manganese Steel Fish Plate for 3m Potain Mast Section

Description

- 1. for Various kinds of split mast sections for tower cranes
- 2. Competitive price from manufacture
- 3. OEM is accepted.

Specification

for Mast Section Size: 1.6*1.6* 3000 mm Main Chord: 180*18 mm

How about your machinery warranty?

We have 12 months warranty for main parts, supply spare parts for tower crane. What's the payment term?

T/T 30% as deposit balance before shipment by T/T

Why choose us?

- a. The quality of ours has reached the European standard.
- b. We have more than 10 years rich experience of tower crane manufacturing.
- c. The production capacity of ours is above 200units per month.
- d. We have rich experience of packing, declaration and certification.
- e. We offer customized service and we can be your long-term supplier.

Other Mast Sections for different models Tower Cranes

1	1.5×1.5×2.2	Angle steel ∠ 140× 10, ∠ 140× 12, ∠ 160×12
2	1.6×1.6×2.2	Angle steel ∠ 160×12
3	1.68×1.68×2.5	Two angle steel ∠ 125×12 or square tube 135×10
4	1.64×1.64×2.8	Two angle steel ∠ 125×10 or square tube 135×10
5	1.833×1.833×2.5	Two angle steel ∠ 125×10
6	1.833×1.833×2.5	Square tube □135×12 or Two angle steel with rib ∠ 125×12
7	1.835×1.835×2.5	Two angle steel with rib∠ 125×14
8	1.6×1.6×3.0	Angle steel ∠ 180×18
9	1.8×1.8×3.0	Angle steel ∠ 180×14, ∠ 180×16
10	2.0×2.0×3.0	Angle steel ∠ 200×20, ∠ 200×24, ∠ 200×26
11	2.45×2.45×5.0	Angle steel ∠ 180×18 (inside two angle steel with rib)
12	2.5×2.5×6.0	H steel 293×266

Photos





More products available: Construction Machinery Tower Cranes

---- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.

---- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.

---D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.

---QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

SC Construction Man and Material Elevator

----- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

SS Building Material Lift / Hoist


----- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



Gantry Crane



No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China