

## ZLP500 Hanging Scaffolding High Window Cleaning Equipment 500kg Load Capacity

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: HYCM or others
- Certification: ISO,CE
- Model Number: ZLP500 Glass Cleaning Gondola
- Minimum Order Quantity: 1 set
- Price: \$1550-2350 per set
- Packaging Details: LCL or 20'GP, 40'HC Container for per set  
ZLP500 Suspended platform
- Delivery Time: 7-10 days
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 100 sets per month



### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Suspended Climbing
- Max. Load: 500 Kg
- Standard Height: 100 M
- Rated Speed: 9-11 M/min
- Power supply: 380V/50Hz Or According To Client's Requirements
- Motor Power: 2\*1.5 Kw
- Platform Material: Steel, Hot Galvanized Or Aluminum
- Platform Length: 5 M



for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

## Product Description

### ZLP500 Hanging Scaffolding High Window Cleaning Equipment 500kg Load Capacity

#### Description

1. The ZLP series powered **Suspended Gondola / Cradle / Stage** is one new type construction machine.
2. It is a substitute of traditional scaffold used for exterior construction, decoration, cleaning and maintenance of high rise building, and is also ideal for applications such as the welding of seagoing ship in shipbuilding industry, cleaning of oil-based paint, installation of elevators, big-size tanks and high chimneys, construction of reservoir dams, and inspection, cleaning and repair of bridges.

#### Specification

Model	ZLP500	
Rated load	500Kg	
Lifting speed	8-10m/min	
Platform Dimension L×W×H(mm)	5000(2+3m)×720×1300	
Lifting Height	100 m	
Cable	100 m	
Steel rope	Φ8.3mm	
Hoist	Power	1.5KW*2
	Voltage	380V/50HZ
Safety lock	Permission force of impact	30KN
	Locking Cable Angle	3°~8°
Suspension mechanism Galvanized	Front beam overhang	1.3~1.5m
	Support adjustable height	1.44~2.14m
Counterweight includes	800KG	
20'ft container load qty	10 sets	

#### Parts contains:

1. Suspended Cage: Steel or Aluminum Alloy (powder coating or hot galvanization)
2. Suspension Mechanism: Steel (powder coating or hot galvanization)
3. Electric hoists: LTD5
4. Safety Lock: LSF30
5. Electric control box: Schneider brand
6. Steel wire rope: 8.3mm
7. Counterweights: Cement or Cast Iron
8. Spare parts

#### Features:

- Easy to use
- Cost effective solutions
- Reasonable price

#### Picture



#### **More products available: Construction Machinery**

##### **Tower Cranes**

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

□

##### **SC Construction Man and Material Elevator**

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

□

##### **SS Building Material Lift / Hoist**

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.





Working Platforms ZLP



SJY Scissor Lift



Gantry Crane

emma1109@foxmail.com emma1109@foxmail.com emma1109@foxmail.com emma1109@foxmail.com  
**Main products**



Double Beam Bridge Crane




Single Beam Bridge Crane



Half gantry crane



Double Girder gantry crane



**Our advantage**

1. Choose high-quality materials
2. One-stop customized service
3. Professional after-sales team



Rubber tired gantry crane



Electric Hoist



Jib Crane



Electric Winch

Small Jib Crane



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China