



Hoist Spare Parts Driving System With 18.5KW Motor And K Reducer LSZ Model

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Avit or LSZ
- Certification: CE, ISO
- Model Number: LKSC87N
- Minimum Order Quantity: 1 set
- Price: \$900-1800 per set
- Packaging Details: Wooden or Pallet for LCL Containers, 20'GP Container 40'HC container for mechanism
- Delivery Time: 7-15 days after receiving the deposit
- Payment Terms: Western Union, L/C, T/T, MoneyGram
- Supply Ability: 4000 sets per month



Product Specification

- Condition: 100% New
- Application: Building Hoist
- Type: Power Driven
- Gear Box: 1:16 Or Others
- Motor Power: 18.5kw
- Reducer Type: K
- Highlight: LSZ Model Hoist Spare Parts,
18.5KW Hoist Spare Parts,
K Reducer Hoist Spare Parts



for more products please visit us on hycmtowercrane.com

Product Description

Hoist Spare Parts Driving System with 18.5KW Motor and K Reducer LSZ Model

The LKSC series drives inherit the advanced concepts of efficient motor design and manufacturing in today's international market, combined with our company's long-term research and development technology and experience. By using variable frequency speed regulation motors, zero speed hovering can be achieved; The gear of the reducer adopts hard tooth surface grinding technology, and the accuracy is above level 6; The whole machine has the characteristics of compact structure, smooth operation, low noise, and light weight.

Feature

1. The shell adopts a high-strength cast iron integrated design, which has the characteristics of high strength and lightweight.
2. The surface of the whole machine is treated with baking paint, which is beautiful and corrosion-resistant.
3. All transmission parts adopt hard tooth grinding technology, and the overall transmission efficiency of the machine is not less than 97%.
4. Excellent sealing system, with an oil leakage rate close to zero.
5. Use high-quality (Mobil) GL-5 85-90 heavy-duty gear oil.
6. Using bearings from top global brands to ensure smooth transmission and low noise.
7. High precision products ensure that the overall noise level is below 80dB.
8. Long service life, 4 years maintenance free.

Other models

Characteristic	Model	Rated Loading	Lifting Speed	Motor Power
Double cabin	SC200/200	2×2000kg	33m/min	2×(3×11kw)
	SC150/150	2×1500kg	33m/min	2×(2×15kw)
	SC100/100	2×1000kg	33m/min	2×(2×11kw)
Single cabin	SC200	2000kg	33m/min	3×11kw
	SC150	1500kg	33m/min	2×15kw
	SC100	1000kg	33m/min	2×11kw

The features of Reducer for Construction Elevator:

Using plane enveloping worm gear not other kinds of worm transmissions:

- Larger loading capacity
- Compact dimension
- Higher efficiency
- Smoother
- Quieter functioning
- Longer service life.

Construction hoist parts including

Gear Rack, Safety device, Motor, Driving device, Gear box, Gearbox Coupling, Gear, Brake sheet, Windlass machine, Hoist mechanism, Limit switch, Rollers, Overload indicator and sensor etc.

All kinds of hoist spare parts:

Driving device With 2-motors / 3-motors

Motor 11kw, 14.5kw, 18kw

Motor spare parts Braking system; brake sheet, motor adjustor, electromagnet, motor fan

Safety device 30KN, 40KN, 50KN, 60KN

Gearbox 16:1, 14:1, 12:1, 10:1

Coupling with rubber -----

Master rollers For 76 tube and 89 tube

Gear rack M8 40x60x1508mm

Gear pinion M8, 15teet

Picture

观耐腐蚀。
能。




合金壳体, 表面烤漆美观耐腐蚀。
0. 减速机功耗低更节能。
制噪音低。
充, 漏油率接近为零。
节。



铁一体化设计, 具有高强度、轻量化等特点。
美观耐腐蚀。
硬齿面磨齿工艺, 整机传动效率不低于97%。
3. 率接近为零。
GL-5 85W-90重载齿轮油。
轴承保证传动平稳噪音低。
机噪音低于80dB。
免维护。



Emma
0086182541159408

More products available: Construction Machinery

Tower Cranes

- QTZ Topkit/Hammer Head Tower Cranes: Working jib from 30-75m and max.load from 4-25t.
- PT Topless/Flat Top Tower Cranes: Working jib from 30-80m and max.load from 4-32t.
- D Luffing Tower Crane: Working jib from 25-60m and max.load from 3-25t.
- QD Derrick Crane: load from 3t to 25t for disassemble inner climbing tower cranes.

□

SC Construction Man and Material Elevator

- Rack and pinion elevator, special for the lifting work of construction Man and Material, 1000kg to 4000kg capacity, Passenger and Material, up to 200m. .

□

SS Building Material Lift / Hoist

- Wire rope lift, special material lifting work in construction site, 1000kg to 2000kg capacity, no passenger, up to 60m.



SJY Scissor Lift



Gantry Crane



Double Beam Bridge Crane




Single Beam Bridge Crane



Half gantry crane



Double Girder gantry crane



- Our advantage**
1. Choose high-quality materials
 2. One-stop customized service
 3. Professional after-sales team



Rubber tyred gantry crane



Electric Hoist



Jib Crane



Electric Winch

Small Jib Crane



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China