

QTP10 Inner Climbing Tower Crane 1T Load 10M Boom

Basic Information

• Place of Origin: China

Brand Name: KANGTAI Tower Crane

Certification: CE, ISO

Model Number: QTP10 Inner climbing Tower Crane

• Minimum Order Quantity: 1 set

• Price: \$9200-11600 per set

Packaging Details: Naked packing, 40'GP or 40'HQ containers.

• Delivery Time: 20 days after receiving the deposit

• Payment Terms: Western Union, L/C, T/T

Supply Ability: 30 sets per month



Product Specification

Condition: 100% New

Application: Buildings And ProjectsType: Small Inner Climing

Load: 1000kgBoom: 10mtsMast Height: 11m

Power: 380V/50HZ, 440V/60Hz, 380V/60Hz Or

Others

• Mast section: 0.65*0.65*1.508m

• After Sale Service: Engineers Available To Service Overseas

Inverter: INOVANCEFor: 100m Buildings

Highlight: Inner Climbing Tower Crane 1T load,

10M boom tower crane,

Inner Climbing Crane with warranty



1tons Max.load Topless Tower Crane work on building top floor or inside Buildings

Product Specifications

Attribute	Value
Condition	100% New
Application	Buildings and projects
Туре	Small Inner Climbing
Load	1000kg
Boom	10m
Mast height	11m
Power	380V/50HZ, 440V/60Hz, 380V/60Hz or others
Mast section	0.65*0.65*1.508m
After sale service	Engineers available to service overseas
Inverter	INOVANCE
For	100m buildings

Product Description

1tons Max.load Topless Tower Crane work on building top floor or inside Buildings

Short Parameters

Model: QTP10 Inner Climbing Tower Crane

Type: fixed and inner climbing

Jib length: 10m Load: 1000kg

Mast Section height: 11m

Specification of Small Internal Climbing Tower Crane

Rated Lifting Moment	100KN.M
Rated Loading Capacity	1t
Mast section height	11m
Max. Lifting Height	150m
Span	10m
Hoisting speed	0-20 m/min
Slewing speed	0-0.55 r/min
Power supply	380V/50Hz or others
Power Capacity	5Kw
Electric switch box	Schneider
Mast Section	0.65*0.65*1.508m

Description of Small Internal Climbing Tower Crane

QTP10 tower crane belong to upper-swing hydraulic inner climbing tower crane with horizontal jib.

All kinds of performance parameters and technical items are up to or better than the National Standard.

The max radius is 10m. Independent loading-lifting height is 11m. Max. climbing loading-lifting height is 150m. The rated load moment is 100KN m

Frequently Asked Questions

1. Are you a manufacturer or a trading company?

We are as a professional manufacturer / factory since 2000 year for 25 years.

2. What is your advantage?

We are a manufacturer, so the price is more competitive than the trading company.

It is more effective to communicate with the factory, saving more time for you.

Timely after sales service

We also produce other construction machinery such as construction hoists, derrick cranes and ZLP Suspended Platform to meet your requirements.

3. How do you guarantee your product quality?

We have our professional testing department, and will test the machine all the progress, and will test it after finished and before delivery.

4. I plan to label our logo on your products, is that possible?

Sure it is ok. OEM is available for us. Just send your logo, brand name or picture to us.

5. How about the warranty period?

The warranty will be one year from the date of shipment. Any detected parts during this period caused by the quality of products will be replaced by seller free of cost (exclude wear and tie parts), improper operation and other man made reasons are excluded.

We promise that any of your inquiry will be respond in 24 hours!

More Photos of Small Internal Climbing Tower Crane





0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China