4t QTZ50(PT5010) Flat Top Tower Crane For Real Estate Construction

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ50(PT5010)
- Minimum Order Quantity: 1
- Price: $35000-37300 per set
- Packaging Details: Naked packing, 3*40'HQ+1*20'GP containers.
- Delivery Time: 15 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month

Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 4t
- Jib Length: 50m
- Tip. Load: 1.0t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.2m
- Highlight: **4t flat top tower crane**, **QTZ50 tower crane for construction**, **PT5010 real estate tower crane**

for more products please visit us on hycmtowercrane.com

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Product Description

4t QTZ50(PT5010) Flat Top Tower Crane For Real Estate Construction

Performance parameters of PT5010:
performance parameters and technical indexes reach both domestic and international advanced level.
• Max. jib length: 50m;
• Max. lifting capacity 4t;
• Max. hoisting capacity at jib tip:1t;
• Rated lifting moment: 500 Kn.m;
• Max. freestanding height: 30m; Max. working height of anchored crane: 120m;

Specification

Rated Lifting Moment	500KN.M
Max. Lifting Load	4t
Tip Load	1.0t
Max. Lifting Height	120m
Freestanding height	29m
Rope length	320m
Span	50m
Working range	3 to 50m
Slewing speed	0.7 or 0.35 r/min
Trolley peed	25.2/38.6 m/min
Jacking-up speed	0.4 m/min
Counter jib length	12.5m
Power supply	380V/50Hz or according to client's requirements
Power Capacity	24.9Kw
Electric switch box	Schneider
Hoisting speed	(a=2)80/40/8.5; (a=4)40/20/4.25
Mast section	1.6*1.6*2.2m

Technical features:
a. Speeds of trolleying and slewing mechanisms are high, good speed adjusting performance, excellent stability.
b. Anti-broken wire rope device and anti-broken shaft device
c. Light structure, good stability, convenient transportation; Mast sections are SAW welding, safe and reliable. Advanced mechanisms, equipped with various safety devices, mechanical or Mechatronics products work in wretched conditions to keep tower cranes work well.
d. Advanced electronic appliances, such as Schineider.
e.. Equipped with excellent safety devices produced by world-class technology, including weight limiter, moment limiter, height limiter, radius limiter, slewing limiter, slewing and trolleying brakes.

We value our customers; We value our customers' customers
HYCM Focus on superior products (tower crane) and perfect service

Spare parts:

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China