4T SC200/200 Double Cage Construction Building Hoist For Building Project

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO
- Model Number: SC Building Hoist
- Minimum Order Quantity: 1 set
- Price: $23900-25600 per set
- Packaging Details: Naked packing, 1*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 40 sets per month

Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Electric Cable Climbing
- Max. Load: 4t
- Max. Height: 150m
- Rated Speed: .34.4m/min
- Power supply: 380V/50Hz Or According To Client's Requirements
- Motor Power: 2*3*11kw
- Motor Brand: Xingxiang, Sanshang, Juli Or Other
- Mast Section Size: 650*650*1508mm
- Highlight: **building construction hoist 4T**, **Double Cage building construction hoist**, **construction material hoist 4T**

for more products please visit us on hycmtowercrane.com

Our Product Introduction

Product Description

4T SC200/200 Double Cage Construction Building Hoist For Building Project

Description:
As a professional construction hoist supplier and exporter, Aclass Equipment offer flexibility, efficiency, safety, low energy consumption and low cost of ownership making it the ultimate choice for both construction and rental companies.

Construction hoists for passengers and materials have been used in all types of applications. The standard range of Aclass construction hoists offer the optimum transport solution for low rise, medium and high rise constructions of all types. Typical applications include new build construction, refurbishment, chimney, offshore and bridge construction.

The construction hoist can be used in single or double cage configurations. It can be also equipped with a frequency control unit (FC).

Specification

Model	**SC200/200 - Ordinary**
Payload capacity	Up to 2 x 2,000 kg
Speed	34.4 m/min
Max. lifting height	150 m (Increased lifting height on request.)
Cage width (internal)	1.3 m & 1.5 m
Cage length (internal)	3 m
Cage height (internal)	2.2 m
Motor control	Directly driven without inverter
Motor power	2 x 3 x 11 kw
Safety device	Mechanical interlocking door system to guarantee the highest safety standards.
Power supply range	380V, 50Hz or 60 Hz, 3 phase
Type of mast	650mm, Tubular steel with integrated rack
Length mast section	1.508 m
Weight mast section with 2 racks	158 kg

Why Choose US?-"6S"
1. Sincere
A warm welcome for every customer, Build genuine relationships from friends all over the world. Think from our customers' perspective and fulfill their needs with our best effort.
2. Smart
Collaborate with others to solve your entire problem.
Our goal is to provide you with a personalized service and complete solution.
3. Specialized
Strict raw material control, only the best will pass the test.
Strict quality control, making flawless finished products.
4. Speedy
Professional sales team, guarantee reply with-in 12 hours
Speedy dispatch with minimal delays
5. Study
Study traditional Chinese values. Educating to be better person first, making better products after that.
Educate ourselves with professional for better service.
6. Support
We have skilled expert providing all technical support.
Our front line workers are united and skilled

Picture of Small Construction Hoist Elevator

for more products please visit us on hycmtowercrane.com

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China