



## 5tons QTZ63 Hammerhead Tower Crane Construction Cranes Tower Telescopic

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ63(5011) Crane Tower
- Minimum Order Quantity: 1
- Price: \$35800-38900 per set
- Packaging Details: Naked packing, 5\*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 5 T
- Jib Length: 50 M
- Tip. Load: 1.1 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6\*1.6\*2.5m (block Type)
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

## Product Description

### 5tons QTZ63 Hammerhead Tower Crane Construction Cranes Tower Telescopic

#### Performance

- Max. jib length: 50 m
- Max. lifting capacity: 5 t
- Max. hoisting capacity at jib tip: 1.1 t
- Max. lifting moment: 630 t.m
- Max. free-standing height: 40m
- Max. working height of anchored crane: 150m
- Types of tower crane: fixed with outer side climbing type / inner climbing type and mobile type

#### Specification

Model	QTZ63 (5011) Tower Crane	
Working Radius (m)	50	
Max. Load Capacity (T)	5	
Tip Load (T)	1.1	
Freestanding height (m)	40	
Max. Height with anchorages (m)	150	
Mast Section dimension (m)	1.6×1.6×2.5, square tube 135×10mm	
Hoisting Mechanism	Speed (m/min)	70/35/7.0, 35/17/3.5
	Motor power (kw)	18/18/5
Slewing Mechanism	Speed (r/min)	0.7/0.35
	Motor power (kw)	2*3.7
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	1.5/2.2
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)		24.9
Power Supply		380V/50Hz, 415/50Hz, 220V/60Hz, ect

#### Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

#### Applications:

It's used in construction building site, such as Multi commercial housing, High rise building, Skyscraper, and Workshop Material handling etc.





**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**

---



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu  
District, Jinan City, Shandong Province, China