



QTZ63 PT5210 Topless Tower Crane Used For Lifting Building Material

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ63(PT5210) Tower Crane
- Minimum Order Quantity: 1
- Price: \$50000-54300 per set
- Packaging Details: Naked packing, 5*40'HQ containers.
- Delivery Time: 15 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month



Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 5 T
- Jib Length: 52 M
- Tip. Load: 1.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.5m (Block Type)
- Main Chord: 135*10mm (square Tube)



for more products please visit us on hycmtowercrane.com

Product Description

QTZ63 PT5210 Topless Tower Crane Used For Lifting Building Material

Technical Parameters

- 1) Nominal Lifting Moment: 630 KN.m
- 2) Working Range: 3-52 m
- 3) Max. Lifting Capacity: 5 t
- 4) Independent Standing Height: 35-40 m
- 5) Attached Standard Height: 150 m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/min
- 7) Slewing Speed: 0.6 r/min

Specification

Rated lifting moment (kN.m)		630			
Lifting height (m)		Rope fall	Free-standing stationary crane		Anchored crane
		α 2	35		150
		α 4	35		150
Working radius (m)		Max. working radius			52
		Min. working radius			3
Max. lifting capacity (t)		5			
Hoisting mechanism	Rope fall	α 2			α 4
	Speed (m/min)	65/32/7.0			32/16/3.5
	Lifting weight (t)	1	2.5	2.5	5
	Power (kW)	18/18			
Trolleying mechanism		Speed (m/min)			0.7/0.35
		Power (kW)			3.7
Slewing mechanism		Speed (r/min)			0.4
		Power (kW)			4

Main features

1. This Tower Cranes don't have the "head" of conventional cranes
2. This tower crane has a horizontal jib with hoisting mechanism, a jib-trolley radius-changing mechanism and a hydraulic self-raising mechanism.
3. It is original in design, reliable in operation and satisfactory in shape.
4. Equipped with all necessary safety devices
5. They can be widely used for the construction of high-rise hotels, residential buildings, high-rise industrial buildings, large-span factory buildings and tower-like buildings like tall chimneys.
6. They can also help you save time on other jobsite duties by easily moving materials from one area to another.

Safety Devices

1. 3 obstacle lights
2. Height limiter
3. Slewing limiter
4. Range/ trolley limiter
5. Weight limiter
6. Moment limiter
7. Anemometer and block box(optional)

We value our customers; We value our customers' customers

HYCM Focus on superior products (tower crane) and perfect service

Pictures:



emma1109@foxmail.com
0086 18254159408



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China