

Flat Top Tower Crane QTZ63(5210) Types of Hydraulic Telescopic Climbing

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

 Application: 	Buildings And Projects		
• Type:	Fixed With Tower Head		
• Max. Load:	5 T		
 Jib Length: 	52 M		
• Tip. Load:	1.0 T		
• Power supply:	380V/50Hz Or According To Client's Requirements		
 Mast section: 	1.6*1.6*2.5m (Block Type)		
• Main Chord:	135*10mm (square Tube)		
After Sale Service:	Engineers Available To Service Overseas		

Schneider

China

1

LC

TT, LC

AVITT TOWER CRANE

CE, ISO, GOST, CU-TR

\$50000-54300 per set

30 sets per month

• Electric Box:



-

Our Product Introduction

Flat Top Tower Crane QTZ63(5210) Types of Hydraulic Telescopic Climbing

- Technical Parameters of PT5210 Flat Top Tower Crane
- 1) Nominal Lifting Moment: 630 KN.m
- 2) Working Range: 3-52 m
- 3) Max. Lifting Capacity: 5 t
- 4) Independent Standing Height: 35-40 m
- 5) Attached Standard Height: 150 m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/mim
- 7) Slewing Speed: 0.6 r/min

Specification of PT5210 Flat Top Tower Crane

Туре	Flat top no head
Max. Lifting Load	5t
Tip Load	1.0t
Max. Lifting Height	150m
Freestanding height	35-40m
Rope length	400m
Span	55m
Working range	3 to 52m
Slewing speed	0.6r/min
Trolley peed	40/20m/min
Jacking-up speed	0.4 m/min
Counter jib length	12.4m
Power supply	380V/50Hz or according to client's requirements
Power Capacity	34.8Kw
Electric switch box	Schneider
Hoisting speed	(a=2)80/40/8.5; (a=4)40/20/4.25
Mast section	1.68*1.68*2.5m (135*10mm square steel)

Our advantage of PT5210 Flat Top Tower Crane

1. 15 years of experience in supplying new external climbing tower crane with HYCM Brand.

- 2. Export to more than 20 countries with CE/ISO/GOST/CU-TR Certificates.
- 3. Stationary/Traveling and internal climbing type tower crane are available
- 4. Impeller blasting/rust protection paint
- 5. Advanced painting process
- 6. Strict and experience welding line
- 7. New designed mast, can be used to Internal and external climbing tower crane
- 8. Well known brand mechanism system, Schneider Electronic control system, Jjiangte and Jiuhe motor
- 9. Engineers available to service machinery overseas.

10. For warranty, it is 12 months from the B/L date. What's more, some free easy worn spare parts are provided together with the crane.

Photos of PT5210 Flat Top Tower Crane



0	0086-18254159408	emma1109@	ofoxmail.com	hycmtowercrane.com	
No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China					