QTZ25(3508) Small Inner Climbing Tower Crane Building 80m in India

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ25(3508) Inner Tower Crane
- Minimum Order Quantity: 1 set
- Price: $28000-31000 per set
- Packaging Details: Naked packing, 2*40'HQ containers.
- Delivery Time: 20 days after receiving the deposit or origin LC
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 20 sets per month

Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 3 T
- Jib Length: 35 M
- Tip. Load: 0.8 T
- Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Mast section: 1.5*1.5*2.2m
- Main Chord: 140*10mm
- After Sale Service: Engineers Available To Service Overseas
- Highlight: **QTZ25 inner climbing tower crane**, **3508 small building tower crane**, **80m height inner climbing crane**

More Images

for more products please visit us on hycmtowercrane.com

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Product Description

QTZ25(3508) Small Inner Climbing Tower Crane Building 80m in India

Description of Small Internal Climbing Tower Crane
QTZ3508 tower crane belong to upper-swing hydraulic inner climbing tower crane with horizontal jib, winch-jib.
All kinds of performance parameters and technical items are up to or better than the National Standard.
The max radius is 35m. Independent loading-lifting height is 25m. Max. climbing loading-lifting height is 80m. The rated load moment is 250KN.m.

Specification of Small Internal Climbing Tower Crane

Model		QTZ25(3508) Topkit Tower Crane
Type		internal climbing
Working Radius (m)		35
Max. Load Capacity (T)		2.5t
Tip Load (T)		0.8
Mast Section height (m)		25
Max. Height with anchorages (m)		80
Hoisting Mechanism	Speed (m/min)	30/15 46/23.5
	Motor power (kw)	11
Slewing Mechanism	Speed (r/min)	0.6/0.3
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	30/20
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.67
	Motor power (kw)	3
Total Power (kw)		11
Container		2*40'HQ for 25m height

Our Service
If the buyer needs help in the period of fixing, the seller will send one technician to the buyer's place to guide the installation until the crane installation is completed, but no more than 15 working days The buyer is in charge of the visa, round-trip tickets, accommodation.
The buyer shall pay 50-80 US dollars every day to the technician as allowance.
The seller is not responsible for the maintenance of the vulnerable components, but can supply**free** replacement together with the crane.
If the buyer operates the products confirming to the requirements in the service manual, non- vulnerable parts accrues problem found the manufactory will help buyer mend or change the broken accessories within one year.
The seller is not responsible for any accident or damage to the tower crane caused by user's failure to do regular maintenance or to follow the safety procedures provided in Manual.
We promise that any of your inquiry will berespond in 24 hours!

Produce process of Small Internal Climbing Tower Crane
Raw Material - Cutting - Welding - Shot Blasting - Assembling - Painting
More Photos of Small Internal Climbing Tower Crane

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China