



QTZ80(5612) External Climbing Tower Crane Construction Cranetower

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ80(5612) Tower Crane
- Minimum Order Quantity: 1
- Price: \$50400-55200 per set
- Packaging Details: Naked packing, 5*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 6 T
- Jib Length: 56 M
- Tip. Load: 1.2 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6*1.6*2.5m (block Type)
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need

for more products please visit us on hycmtowercrane.com

Product Description

QTZ80(5612) External Climbing Tower Crane Construction Cranetower

Description of QTZ80(5612) Tower Crane

1. Equipped with all kinds of safety devices, including height limiter, radius limiter, load moment limiter, weight limiter and grip block.
2. The tower crane has steady working, high speed and efficiency.
3. Slewing mechanism works together with motor, planet gear speed reducer and slewing arrester for better bearing capacity and steady operation.

Specification of QTZ80(5612) Tower Crane

Name	Unit	Parameters
Rated hoisting moment	kN.m	800
Max. Hoisting weight	t	6
Rated hoisting weight at jib nose	t	1.2
Working radius	m	3-56
Height (m)	Freestanding	M 40
	Climbing	m 150
Hoisting speed	Magnification	2 4
	Hoisting speed	M/min 8 40 80 4 20 40
	Max. Hoisting weight	t 3 3 1.5 6 6 3
Swing speed	R/min	0.6
Radius changing speed	M/min	22/44
Top rising speed	M/min	0.4

Characteristics of QTZ80(5612) Tower Crane

- 1) QTZ80 tower crane is one of popular cranes which have competitive price and excellent quality.
- 2) This kind of crane adopts standard sections hydraulic lifting and connecting, rising the crane height according to the actual building height by adding mast and anchorage.
- 3) It has high working speed, good speed-adjusting performance, steady operation and high efficiency.
- 4) The machine has scientific layout and beautiful appearance. The operator's room is set independently on one side, with good vision field. It creates a good working environment for the operator.

Pictures of QTZ80(5612) Tower Crane



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu
District, Jinan City, Shandong Province, China