

# SC100/100 Construction Elevator Lift 2 Tons Outside Buildings Climbing Type

#### **Basic Information**

Place of Origin: China

Brand Name: AVITT or othersCertification: CE, ISO

Model Number: SC Building Hoist

• Minimum Order Quantity: 1 set

• Price: \$22300-23800 per set

Packaging Details: Naked packing, 1\*40'HQ containers.

Delivery Time:
 10 days after receiving the deposit or origin

LC

Payment Terms: Western Union, L/C, T/T

 Cymply Ability: 40 cets per month

Supply Ability: 40 sets per month



### **Product Specification**

Condition: 100% New

Application: Buildings And ProjectsType: Electric Cable Climbing

• Max. Load: 2t

Max. Height: 150-200mRated Speed: .34.4m/min

Power supply: 380V/50Hz Or According To Client's

Requirements

• Motor Power: 2\*2\*11kw

Motor Brand: Xingxiang, Sanshang, Juli Or Other

Mast Section Size: 650\*650\*1508mm

• Highlight: 2 Ton construction elevator lift,

Climbing construction elevator lift, 2 Ton construction material hoist



#### **Product Description**

#### SC100/100 Construction Elevator 2 Tons Outside Buildings Climbing Type

#### Quick Introduction of SC100/100 Construction Elevator

Builling construction elevator is a rack and pinion lift.

It has been widely used in construction site for transportation of personnel and materials, but also industry, electric power, mining well, oil, chemical industry etc.

#### Specification of SC100/100 Construction Elevator

Model	SC100/100 - Ordinary Construction Hoist
Payload capacity	Up to 2 x 1000 kg
Speed	33 m/min
Max. lifting height	150 m (Increased lifting height on request.)
Cage width (internal)	1.3 m & 1.5 m
Cage length (internal)	3 m
Cage height (internal)	2.2 m
Motor control	Directly driven without inverter
Motor power	2 x 2 x 11 kw
Safety device	Mechanical interlocking door system to guarantee the highest safety standards.
Power supply range	380V, 50Hz or 60 Hz, 3 phase
Type of mast	650mm, Tubular steel with integrated rack
Length mast section	1.508 m

#### Feature of SC100/100 Construction Elevator

- 1. Equipped with self-lifting system; Self-erection and removal; Height adjusts with the building; Labor-saving and economic.
- 2. Adopting the attached rod instead of wind rope; improved construction conditions.
- 3. Two vertical posts unite whenever mounting or dismounting; safe and reliable.
- 4. Labor saving with manual winch for lifting stage and derrick for mounting standard sections.

#### Picture of SC100/100 Construction Elevator







## Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane







hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China