



## qtz5008 4t Hydraulic Telescopic Tower Crane CE Certification Safety Work

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ50(5008) Tower Crane
- Minimum Order Quantity: 1
- Price: \$26600-28600 per set
- Packaging Details: Naked packing, 3\*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



#### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 4t
- Jib Length: 50m
- Tip. Load: 0.8t
- Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Mast section: 1.6\*1.6\*2.2m
- Main Chord: 160\*12mm
- After Sale Service: Engineers Available To Service Overseas



for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

## Product Description

### qtz5008 4t Hydraulic Telescopic Tower Crane CE Certification Safety Work

#### Performance parameters

This tower crane is an hammerhead with topkit head tower crane, includes foundation frame, mast sections (tower body), climbing system, slewing units, horizontal lifting jib / boom, counter-jib, tower head, operation cab, three mechanisms, electric system and safety device.

The max. Boom length is 50m which consist of every 6meters and minimum length is 30m

This tower crane freestanding height is 29m and max.height is 120m with more mast section and 6sets anchorages.

The max. Load capacity is 4t and tip load at the end jib is 0.8t.

#### Specification

Model	QTZ50 (5008) Tower Crane	
Type	Fixed	
Working Radius (m)	50	
Max. Load Capacity (T)	4	
Tip Load (T)	0.8	
Free standing height (m)	29	
Max. Height with anchorages (m)	120	
Mast Section dimension (m)	1.6×1.6×2.2, angle steel 160×12mm	
Hoisting Mechanism	Speed (m/min)	(a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5
	Motor power (kw)	15/15/4
Slewing Mechanism	Speed (r/min)	0.70/0.35
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)	24.9	
Power Supply	380V/50Hz or according to clients needs	

#### Our Advantage

- a . 15 years experience of supplying tower cranes with good service and high quality: CE / ISO / GOST / EAC (CU-TR) Certificates.
- b . Export to more than 20 countries, like Vietnam, Philippines, Indonesia, India, Sri Lanka, Cambodia, Thailand, Russia, Kazakhstan, Brazil, Cyprus, Belgium, Madagascar and Algeria etc.
- c . New designed mast section which can be used to inner / outer climbing tower crane
- d . Famous brand mechanism systems, Schneider electronic box, Jjiangte or Jiuhe motor
- e . Long time warranty: 12 months from the B/L date.

#### Pictures



emma1109@foxmail.com  
0086 18254159408



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu  
District, Jinan City, Shandong Province, China